

Appendix I

SENSITIVE SPECIES WITHIN 500 FEET OF CAMPSITES

Figure I-1. Species of concern, on the WNHP or Regional ISSSP lists within 500 ft of Outfitter Camps.

Subunit	Camp Name	T	R	SEC	Species	WNHP EO#	Notes
Pasayten Wilderness Methow	Bald Mountain	40N	21E	20	<i>Carex atrosquama</i>	2	Assigned site. Confirmed CAAT8 population. 5 ac Emergent / temp-seasonally flooded wetlands
Pasayten Wilderness Methow	Bald Mountain	40N	21E	20	<i>Carex heteroneura (C.epapillosa)</i>		Assigned site. Confirmed CAAT8 population. 5 ac Emergent / temp-seasonally flooded wetlands.
Pasayten Wilderness Methow	Bald Mountain	40N	21E	20	<i>Gentiana glauca</i>	8	Assigned site, Not in camp but in night graze area. 5 ac Emergent / temp-seasonally flooded wetlands
Pasayten Wilderness Methow	Bald Mountain	40N	21E	20	<i>Potentilla nivea</i>	15	Assigned site. Not in camp and habitat not likely in night graze. 5 ac Emergent / temp-seasonally flooded wetlands
Pasayten Wilderness Methow	Beaver Creek Camp	40N	21E	17	<i>Agoseris elata</i>	32	Assigned site. 9.7 ac Shrub / temp-seasonally flooded.
Pasayten Wilderness Methow	Beaver Creek Camp	40N	21E	17	<i>Carex heteroneura (C.epapillosa)</i>	16	Assigned site, 9.7 ac Shrub / temp-seasonally flooded.
Pasayten Wilderness Methow	Beaver Creek Camp	40N	21E	17	<i>Carex saxatilis var major</i>	n/a	Assigned site, 9.7 ac Shrub / temp-seasonally flooded.
Pasayten Wilderness Methow	Beaver Creek Camp	40N	21E	17	<i>Gentiana glauca</i>	8	Assigned site, 9.7 ac Shrub / temp-seasonally flooded.
Pasayten Wilderness Methow	Beaver Creek Drop Camp	40N	21E	8	<i>Agoseris elata</i>	32	High Hunt, drop. Suitable habitat in area, but species not confirmed. 9.5 ac Shrub / temp-seasonally flooded.
Pasayten Wilderness Methow	Beaver Creek Drop Camp	40N	21E	8	<i>Eriophorum viridicarinatum</i>	2	No suitable habitat in camp. Plant location not well defined. Likely not in area. High Hunt, drop. 9.5 ac Shrub / temp-seasonally flooded.

Subunit	Camp Name	T	R	SEC	Species	WNHP EO#	Notes
Pasayten Wilderness Methow	Bob Creek	40N	21E	18	<i>Agoseris elata</i>	32	High Hunt, drop. 6.6 ac Emergent / temporary or seasonally flooded.
Pasayten Wilderness Methow	Cathedral Camp	40N	21N	16	<i>Gentiana glauca</i>		High Hunt, drop. 1 ac Shrub / temporary or seasonally flooded.
Pasayten Wilderness Methow	Charlie Brown	40N	21E	17	<i>Agoseris elata</i>	32	High Hunt. 7 ac Emergent / temporary or seasonally flooded. Suitable habitat but nor confirmed population w/in camp area.
Pasayten Wilderness Methow	Charlie Brown	40N	21E	17	<i>Carex magellanica ssp. irrigua</i>		High Hunt. 7 ac Emergent / temporary or seasonally flooded.
Pasayten Wilderness Methow	drop B	40N	20E	33	<i>Carex atrosquama,</i> <i>Carex heteroneura</i> <i>(C.epapillosa)</i>	14	Season long, drop. 3.0 ac open water. Voucher taken in 03 from near site confirmed it as CAAT8. EO # 14 CAHE8 was not relocated. Suspect EO 14 is CAAT8.
Pasayten Wilderness Methow	drop C	40N	22E	34	<i>Salix tweedyi</i>	18	Season long, drop. 1.4 ac Forest Temp-seasonally flooded
Pasayten Wilderness Methow	Ferguson Lake	38N	18E	16	<i>Carex scirpoidea</i> <i>var. scirpoidea</i>	2	High Hunt, drop. No habitat in camp. Population likely not in any use area. 2.7 ac open water
Pasayten Wilderness Methow	Old Miller Camp	40N	21E	16	<i>Agoseris elata</i>	32	Season long drop. 0.7 ac shrub wetland
Pasayten Wilderness Methow	Pasayten Hilton	40N	20E	13	<i>Carex magellanica ssp. irrigua</i>	32	High Hunt, drop. 1.3 ac Shrub /temp-seasonally flooded.
Pasayten Wilderness Methow	Ptarmigan Cr	40N	21E	8	<i>Agoseris elata</i>	32	High Hunt, drop. No wetlands
Pasayten Wilderness Methow	Ptarmigan Cr	40N	21E	8	<i>Eriophorum viridicarinatum</i>	2	High Hunt, drop. Not likely in any use area. Location not well defined. No wetlands.
Pasayten Wilderness Methow	Sheep Mountain	40N	20E	16	<i>Agoseris elata</i>		Assigned site, 0.3 ac Shrub / temp-seasonally flooded.

Subunit	Camp Name	T	R	SEC	Species	WNHP EO#	Notes
Pasayten Wilderness Methow	Sheep Mountain	40N	20E	16	<i>Carex epapillosa</i>		Assigned site, 0.3 ac Shrub / temp-seasonally flooded. Voucher confirmed as CAEP3
Pasayten Wilderness Methow	Silver Lake	38N	18E	19	<i>Polemonium viscosum</i>	4	Season long, progressive, drop. 1.4 ac of open water. No stock use. Not likely near camp. Habitat on ridge above camp and not in any use area.
Pasayten Wilderness Methow	Timberwolf 1	40N	20E	29	<i>Carex epapillosa</i>		High Hunt, drop. No stock use. Confirmed CAEP3. 2.4 ac Emergent / temp-seasonally flooded.
Pasayten Wilderness Tonasket	Horseshoe Basin	40N	23E	10	<i>Carex heteroneura (C.epapillosa)</i>	4	Season long, overnight. No wetlands. Suitable habitat. Species location not confirmed w/in camp area.
Pasayten Wilderness Tonasket	Horseshoe Creek	40N	23E	15	<i>Carex heteroneura (C.epapillosa)</i>	4	Season long, overnight. 2.2 ac Emergent / temp-seasonally flooded. Species location not confirmed w/in camp area.
Lake Chelan-Sawtooth Wilderness Chelan	Bernice 3 (E)	32N	20E	31	<i>Salix tweedyi</i>	33	General Hunt, drop. 0.8 ac Emergent / temp-seasonally flooded.
Lake Chelan-Sawtooth Wilderness Chelan	Fish Cr Base Camp	32N	18E	28	<i>Githopsis specularioides</i>	24	Assigned Base Camp. This EO was not relocated during 05-06 visits and is not in the 07 WNHP data. Stock fed in corrals. Population possibly extirpated.