

Wenatchee River – Ollala

Description: The lower reaches of the watershed are heavily developed urban/agriculture. Due to its proximity to both Wenatchee and Cashmere, it receives heavy recreational use.

Infested acres: 911

Total acres: 11215

5th Field watershed: Wenatchee River 1702001107

Major Streams and Waterbodies: Wenatchee River

Elevation: 1000 - 4900

Vegetation Type: Douglas-fir; Grand fir; Low elevation grassland; Montane herbaceous opening; Montane Shrub; Pacific silver fir; Ponderosa pine; Riparian and Deciduous; Shrub steppe; Subalpine fir; Urban-Agriculture; Wetland

Soils: Silt loam, Sandy loam, Loam, Fine sandy loam, Loamy sand, Coarse sandy loam

Special Management Areas: None

Recreation: Hiking, mountain biking, dispersed camping, hunting, livestock

Grazing: EAGLE-BLAG; UPPER HAY CANYON

TES, ISSSP Species: *Iliamna longisepala*; *Luina serpentina*

Other land Ownerships: State, BLM, Private

Vectors of spread: Vehicles, livestock, wildlife, recreation

Ongoing Treatments: Chemical

IWM Strategy: Monitor for new species and/or infestations and treat either manually or chemically; control existing infestations

Existing Sites and Treatment Objectives

| Code | Common Name | # of sites | Gross acres | Net acres | Site Types | Objectives |
|-------|--------------------|------------|-------------|-----------|------------|----------------------|
| CIVU | bull thistle | 10 | 12.40 | 4.03 | 1,3,5,6 | Tolerate |
| CIAR4 | Canada thistle | 3 | 0.59 | 0.11 | 1,3 | Tolerate/Suppression |
| LIDA | Dalmatian toadflax | 63 | 1821.63 | 689.36 | 1,3,5,6 | Control/Suppression |
| CEDI3 | diffuse knapweed | 106 | 1019.70 | 213.22 | 1,3,5,6 | Containment |
| PORE5 | sulphur cinquefoil | 5 | 0.92 | 0.53 | 1,6 | Control |
| CADR | whitetop | 4 | 3.87 | 3.87 | 1,5 | Eradication |