LITERATURE CITED

LITERATURE CITED

SOILS

Agee, J.K. 1993. Fire ecology of Pacific Northwest Forests. Island Press, Washington D.C.

Beschta, R.L.; Frissell, C.A.; Gresswell, R.; Hauer, R.; Karr, J.R.; Minshall, G.W.; Perry, D.A.; Rhodes, J.J. 1995. Wildfire and salvage logging: recommendations for ecologically sound post-fire salvage logging and other post-fire treatments on federal lands in the west. Unpublished Report. [Place of publication unknown]: [Publisher unknown]. 15 p. http://fsweb.f14.r6.fs.fed.us/nr/silv/pdf/BeschtaReport.pdf (accessed February 2006)

Brown, J.K.; Reinhardt, E.D.; Kramer, K.A. 2003. Coarse woody debris: managing benefits and fire hazard in the recovering forest. General Technical Report RMRS-GTR-105. Ogden, UT: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. 16 p. http://fsweb.f14.r6.fs.fed.us/nr/silv/pdf/CWD%20in%20Recovering%20Forest%20GTR.pdf (accessed February 2006)

Brown, J.K. 1995. Fire regime and their relevance to ecosystem management. Pages 171-178 in Proceeding of Society of American Foresters National Convention, September 18-22, 1994, Anchorage, Alaska. Society of American Foresters, Washington, D.C.

Clark and Bryce 1997. Hierarchical subdivisions of the Columbia Palateau and Blue Mountains ecoregions, Oregon and Washingtion. Gen. Tech. Rep. PNW-GTR-395. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 114 p.

Dumroese, D.S.; M. Jurgensen; T. Thomas. 2009. *in press.* Western Journal of Applied Forestry.

Esquilin, A.E. J., M.E. Stromberger, W. J. Massman, J.M. Frank; W.D. Shepperd. 2007. Microbial community structure and activity in a Colorado Rocky Mountain forest soil scarred by slash pile burning. Soil Biology and Biochemistry, Volume 39(5) (2007), 1111-1120.

ECOMAP 1993. National hierarchical framework of ecological units. Unpublished administrative paper. Washingtion, DC: U.S. Department of Agriculture, Forest Service. 20 p.

Froelich, H.A.; McNabb, D.H., 1984. Minimizing soil compaction in Pacific Northwest forests. *In* Forest Soils and Treatment Impacts: Proceedings of the 6th North American Forest Soils Conference, Knoxville, Tenn., June 1983. *Edited by* E.L. Stone. University of Tennessee, Knoxville, Tenn.

Graham, R.T.; Harvey, A.E.; Jurgensen, M.F. 1994. Managing coarse woody debris in forests of the Rocky Mountains. Research Paper INT-RP-477. USDA Forest Service, Intermountain Research Station.

Grifantini, M.C.; Stuart, J.D.; Fox. L., III. 1991. Deer habitat changes following wildfire, salvage logging and reforestation, Klamath Mountains, California. In: Preceddings of the suymposium on biodiversity; 1991 October 28-30; Santa Rosa, CA. [Place of pub. unknown; publisher unknown]: 163-167.

Harmon, M. E.; Franklin, J. F.; Swanson, F. J.; Sollins, P.; Gregory,S. V.; Lattin, J. D.; Anderson, N. H.; Cline, S. P.; Aumen, N. G.;Sedell, J. R.; Lienkaemper, G. W.; Cromack, K. , Jr.; Cummins, K..1986. Ecology of coarse woody debris in temperate ecosystems.Advances in Ecological Research. 15: 133-302

Harvey, A. E., Jurgensen, M.F., Larsen, M.J.; Graham, R.T. 1987. Decaying organic materials and soil quality in the Inland Northwest: a management opportunity. General Technical Report GTR INT-225. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Research Station. 15 p.

Harvey, A. E., Jurgensen, M.F., Graham, R.T. 1989. Fire-soil interactions governing site productivity in the Northern Rocky Mountains. In: Baumgartner, D.M. [and others], eds. Prescribed fire in the intermountain region: forest site preparation and range improvement. Pullman, WA: Washington State University, Cooperative Extension: 9-18.

Harvey, A.E.; Page-Dumroese, D.S.; Jurgensen, M.F.; Graham, R.T.; Tonn, J.R.. 1997. Site preparation alters soil distribution of roots and ectomycorrhizae on outplanted western white pine and Douglas-fir. Plant and Soil 188: p. 107-117.

Howes, S.; Hazard, J.; J.M. Geist, 1983. Guidelines for sampling some physical conditions of surface soils. R6-RWM-146-1983.

Jurgensen, M.F.; Harvey, A.E., Jain, T.B. 1997. Impacts of timber harvesting on soil organic matter, nitrogen, productivity, and health of Inland Northwest forest. Forest Science. 43: 234-251.

McNabb, D.H., and H.A. Froehlich 1983. Conceptual Model for Predicting Forest Productivity Losses from Soil Compaction. In: New Forests for a Changing World, Proceedings of the 1983 Society of American Foresters Convention, Portland, Oregon.

Rothermel, Richard C. 1983. How to predict the spread and intensity of forest and range fires. Gen. Tech. Rep. INT-143. Ogden,UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station. 161 p.

Sexton, Timothy O. 1994. Ecological effects of post-wildfire salvage-logging on vegetation diversity, biomass, and growth and survival of Pinus Ponderosa and Purshia tridentate. Corvallis, OR: Oregon State University, Department of Rangeland Resources, Strand Agriculture Hall, Oregon State University, Corvallis, Or. 97331.

USDA FS. 2002. Protocol for Assessment and Management of Soil Quality Conditions, Umatilla NF.

USDA FS 1977. Soil resource inventory, Umatilla NF.

USDA 1975. Soil Taxonomy. AH 436.

HYDROLOGY

Ager, A. A.; Clifton, Caty. 2005, Software for calculating vegetation disturbance and recovery by using the equivalent clearcut area model. Gen. Tech. Rep. PNW-GTR-637. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 11.p.

Belt, George H., Jay O'Laughlin, and Troy Merrill. 1992. Design of Forest Riparian Buffer Strips for the Protection of Water Quality: Analysis of Scientific Literature. Report No. 8. Idaho Forest, Wildlife and Range Policy Analysis Group, University of Idaho, Moscow, ID. 34 p.

Caldwell, Jean E., Kent Doughty, and Kate Sullivan. 1991. Evaluation of downstream Temperature Effects of Type 4/5 Waters, Timber-Fish-Wildlife Report No. WQ5-91-004. Prepared for T/F/W CMER Water quality Steering Committee and Washington Dept. of Natural Resources.

Forest Ecosystem Management: An Ecological, Economic, and Social Assessment (FEMAT), 1993. Report of the Forest Ecosystem Management Assessment Team.

Grant, Gordon, et al. Effects of Forest Practices on Peak Flows and Consequent Channel Response: A State-of-Science Report for Western Oregon and Washington. USDA Forest Service, PNW-GTR-760, May 2008.

Gravelle, John A. and Timothy E. Link, 2007, Influence of Timber Harvesting on Headwater Peak Stream Temperatures in a Northern Idaho Watershed. Forestry Science 53(2):189-205.

Helvey, J.D., 1980, Effects of a Central Washington Wildfire on Runoff and Sediment Production, American Water Resources Association, Water Resources Bulletin, Vol. 16, No. 4 August, 1980. pg. 627-634.

Helvey, J.D., Fowler, William B., 1995, Umatilla National Forest Barometer Watershed Program, Effects of timber harvest on the hydrology and climate of four small watersheds.

Luce, C.H., Black, T. A., 1999, Effects of Traffic and Ditch Maintenance on Forest Road Sediment Production, in Proceedings of the Seventh Federal Interagency Sedimentation Conference, March 25-29, 2001, Reno, Nevada. Pp. V67-V74.

Nez Perce Tribe Department of Fisheries Resource Management-Watershed Division, Roadside Spring Survey Report FY 2007, unpublished.

Reid, L.M. and T. Dunne. 1984, Sediment Production from Forest Road Surfaces. Water Resources Research 20(12): pg 1753-1761.

Robichaud, P.R.; Brown, R.E., 1999. What Happened After the Smoke Cleared: Onsite Erosion Rates

Scherer, Rob. 2001. Effects of Changes in Forest Cover on Streamflow: A Literature Review. In Watershed Assessment in the Southern Interior of British Columbia: Workshop Proceedings, March 9-19m 2000. Penticton, British Columbia, Canada. Pg. 44-55.

State of Washington, Washington Administrative Code, WAC 173-201A-606 Table 602; Use designations for waters by water resource inventory area (WRIA). http://apps.leg.wa.gov/WAC/default.aspx?cite=173-201A-602

State of Washington, Washington Administrative Code, WAC 173-201A-200, Fresh water designated uses and criteria. http://apps.leg.wa.gov/WAC/default.aspx?cite=173-201A-200

State of Washington, Washington State Department of Ecology, Washington State's Water Quality Assessment and 303(d) List, 2008. http://www.ecy.wa.gov/programs/wq/303d/2008/index.html

Stednick, John C., 1995. Monitoring the effects of timber harvest on annual water yield. Journal of Hydrology 176 (1996) 79-95.

Umatilla National Forest Land and Resource Management Plan, 1990.

Umatilla National Forest. Unpublished Report. Best Management Practices monitoring 2001-2002.

Umatilla National Forest, Unpublished Report. School Fire Salvage Recovery Project FEIS, Milli, Oli, Sun Salvage Sales, PACFISH RHCA Implementation Monitoring.

USDA Forest Service, 1988. General Water Quality Best Management Practices. Unpublished USFS Report. Pacific Northwest Regional Office, Portland, OR. 104 p.

USDA Forest Service, Pacific Northwest Region and Washington Department of Ecology, Memorandum of Agreement between the USDA Forest Service Region 6 and the Washington State Department of Ecology for Meeting Responsibilities under Federal and State Water Quality Laws. State and Federal Water Quality Rules and Regulations, November 2000.

USDA Forest Service and the Bureau of Land Management, 2005, Northwest Forest Plan Temperature TMDL Implementation Strategies.

Washington Department of Fish and Wildlife, Memorandum of Understanding between WDFW and USDA Forest Service, Pacific Northwest Region. January 2005

FISHERIES

REFERENCES CITED FOR BIOLOGICAL

Agee, J. K. 1993. Fire ecology of Pacific Northwest Forests Island Press, Washington, D.C., USA

Armstrong, R.H. and J. E. Morrow. 1980 The Dolly Varden Char (*Salvelinus malma*). In: B.E. Reiman and J. D. McIntyre. Demographic and habitat requirements for conservation of bull trout. U.S. Department of Agriculture, Forest Service, Intermountain Research Station, General Technical Report INT-302, September 1993. 38 pp.

Beamish, R.J. 1980. Adult biology of the river lamprey (*Lampetra ayresi*) and the Pacific lamprey (*Lampetra tridentata*) from the Pacific coast of Canada. Canadian Journal of Fisheries and Aquatic Sciences 37: 1906-1923

Behnke, R. J. 1979. Monograph of the native trouts of the genus Salmo of western North America. US Forest Service, Region 2, Lakewood, Colorado.

Behnke, Robert J. 1992. Native Trout of Western North America. American Fisheries Society Monograph 6.

Bennett, Stephen 2008. Ecological Research Inc. Personnel Conversation

Beschta, R. L. and W. S. Platts. 1986. Morphological features of small streams: significance and function. Water Resource Bulletin. 22(3): 369-380.

Bettaso, J. and D.H. Goodman. 2008. Mercury contamination in two long-loved filter feeders in the Trinity River basin: a pilot project. U.S. Fish and Wildlife Service, Arcata Fish and Wildlife Office, Arcata Fisheries Technical Report Number TR2008-09. Arcata, California.

Betts, Burr J. 1992. Guidelines for Monitoring Blue Mountain Cryptochia Caddisflies in the Blue Mountains of Oregon and Washington. Forest Service Publication.

Bjornn, T. C. 1957. A survey of the fishery resources of Priest and Upper Priest Lakes and their tributaries. Moscow, ID: University of Idaho. 175 pp. Thesis.

Bjornn, T. C. 1971. Trout and salmon movements in two Idaho streams as related to temperature, food, stream flow, cover, and population density. Transactions of the American Fisheries Society 100:423–438

Bond, C. E. 1992. Notes on the nomenclature and distribution of the bull trout and the effects of human activity on the species. In: .E. Reiman and J. D. McIntyre. Demographic and habitat requirements for conservation of bull trout. U.S. Department of Agriculture, Forest Service, Intermountain Research Station, General Technical Report INT-302, September 1993. 38 pp.

Borror, D.J.; Triplehorn, C. H. and D. M. Delong. 1990. An Introduction to the Study of Insects, 4th ed. Holt, Rinehart and Winston, New York, NY. 812 pp.

Brown, L. G. 1992. Draft management guide for the bull trout *Salvelinus confluentus* (Suckley) on the Wenatchee National Forest. Wenatchee, WA: Washington Department of Wildlife. 75 pp.

Brumo, A.F. 2006. Spawning, larval recruitment, and early life survival of Pacific lampreys in the South Fork Coquille River, Oregon. M.S. Thesis Oregon State University, Corvallis, Oregon. Chase, S.D. 2001. Contributions to the life history of adult Pacific lamprey (*Lampetra tridentata*) in the Santa.

Bryant, M. D. 1983. The role and management of woody debris in West Coast salmonid nursery streams. North American Journal of Fisheries Management. 3: 322-330.

Cavender, T. M. 1978. Taxonomy and distribution of the bull trout (*Salvelinus confluentus*) from the American Northwest. California Fish and Game. 64(3): 139-174.

Chapman, D. W. 1966. Food and space as regulators of salmonid populations in streams. American Naturalist. 100: 345-357.

Clancy, C. 1992. *in* In: B.E. Reiman and J. D. McIntyre. Demographic and habitat requirements for conservation of bull trout. U.S. Department of Agriculture, General Technical Report INT-302, September 1993. 38 pp.

Edwards, R. and D. Burns. 1986. Relationships among fish habitat embeddedness, geomorphology, land disturbing activities, and the Payette National Forest sediment model. McCall, ID: U.S. Department of Agriculture, Forest Service, Payette National Forest. 6 pp.

Everman, B.W. and W.C. Kendall, 1894 The Fishes of Texas and the Rio Grande Basin, considered chiefly with reference to their geographic distribution. Bull U.S. Fish Comm., 12:57-126.

Frest, T. J., and E. J. Johannes. 1995. Freshwater mollusks of the upper Sacramento system, California, with particular reference to the Cantara spill. 1995 final report tothe California Department of Fish and Game. Deixis Consultants, Seattle,Washington.

Frest, T. J., and E. J. Johannes. 2001. An annotated checklist of Idaho land and freshwater mollusks. Journal of the Idaho Academy of Science 36:1-51.

Frest, T. J. 1999. A review of the land and freshwater mollusks of Idaho. Final report prepared for Idaho Conservation Data Center, Idaho Department of Fish and Game, Boise, Idaho. 281 p. + appendices.

Frest, T. J., and E. J. Johannes. 1997. Land snail survey of the lower Salmon River drainage, Idaho. Idaho Bureau of Land Management Technical Bulletin 97-18. 142 p. + appendices.

Frest, T. J. and E. J. Johannes. 1995. Interior Columbia Basin mollusk species of special concern. Final report to the Interior ColumbiaBasin Ecosystem Management Project, Walla Walla, WA. Contract #43-0E00-4-9112. 274 pp. plus appendices.

Fraley, John J. and Bradley B. Shepard, Montana Department of Fish, Wildlife and Parks P.O.B ox 67, Kalispel Montana 59903

Goetz, F. 1989. Biology of the bull trout, *Salvelinus confluentus,* a literature review. Eugene, OR: U.S. Department of Agriculture, Forest Service, Willamette National Forest. 53 pp.

Graham, J. and C. Brun. 2007. Determining Lamprey Species Composition, Larval Distribution, and Adult Abundance in the Deschutes River, Oregon, Subbasin ", 2006-2007 Annual Report, Project

No. 200201600, 39 electronic pages, (BPA Report DOE/BP-00026436-1)

Gritsenko, O.F. 1958. (On the question of an ecological parallelism between lampreys and salmon). Izv. Tikhookean. Nauchno –Iddled. Inst. Rybn. Khoz Okeanogr. 65: 157-169. (In Russian).

Haas, Gordon R. and J. D. McPhail. 1991. Systematics and distribution of Dolly Varden (*Salvelinus malma*) and bull trout (*Salvelinus confluentus*) in North America. Canadian Journal of Fisheries and Aquatic Sciences. 48: 2191-2211.

Haden E.V., 1872 Preliminary Field report of the United States Geological Survey of Colorado and Wyoming.

Hallock, Molly and Mogillo Paul E., Washington State Status Report for the Margined Scupin, WDFW., May 1998.

Hershler and F.G Thompson, Notes on morphology of *Amnicola limosa* (Say, 1817) (Gastropoda: Hydrobiidae) with comments on status of the subfamily Amnicolinae, *Malacol. Rev.* **21** (1988), pp. 81–92.

Hicks, B. J., J. D. Hall, P. A. Bisson, J. R. Sedell. 1991. Responses of salmonids to habitat changes. *in* Meehan, W. R., ed. Special Publication 19. Bethesda, MD. American Fisheries Society: 483-518.

Hoelscher, B. and T. C. Bjornn. 1989. Habitat, densities, and potential production of trout and char in Pend Oreille Lake tributaries. Job Accomplishment Report, Project F-71-R-10, Sub-project III, Job 8 Boise, ID. Idaho Department of Fish and Game 60 pp.

Horowitz, R.J. 1978. Temporal variability patterns and the distributional patterns of stream fishes. Ecological Monographs. 48: 307-321.

Hubbs Carl ., and Robert Miller 1946 Correlation Between Fish Distribution and Hydrographic History in the Desert Basins of Western United States. In: The Great Basin, with Emphasis on Glacial and Postglacial Times. Bull. Univ. Utah, Biol. Ser., 10 **(7)** : 17-166, Figs. 10-29, 1 map.

Hyman, L.H., 1967. The invertebrates Mollusca (vol. VI). McGraw-Hill,. New York. 288pp

Jakober, M. 1992. Influence of stream size and morphology on the seasonal distribution and habitat use of resident bull trout and westslope cutthroat trout in western Montana. Unpublished progress report on file at: U.S. Department of Agriculture, Forest Service, Intermountain Research Station, Boise, ID. 7 pp.

Johnson, C.G. Jr. and R.R. Clausnitzer. 1991. Plant Associations of the Blue and Ochoco Mountains. USDA, Forest Service. 207 pp.

Kan, T.T. 1975. Systematics, variation, distribution and biology of lampreys in the genus Lampetra in Oregon. Oregon State University Ph.D. Dissertation.

Kostow, K. 2002. Oregon lampreys: Natural history, status, and analysis of management issues. Oregon Dept. of Fish and Wildlife, 2/25/02, 113 pp.

Martin, Steven W. 1992. Southeast Washington Species Interaction study: Bull trout (*Salvelinus confluentus*), Steelhead trout (*Oncorhynchus mykiss*), and Spring chinook (*O. tshawytscha*). U.S. Dept. of Energy. Information report number 92-1.

McPhail, J. D. and C. B. Murray. 1979. The early life history and ecology of Dolly Varden (*Salvelinus malma*) in Upper Arrow Lakes. Vancouver, BC. University of British Columbia, Department of Zoology and Institute of Animal resources. 113 pp.

Meehan, W. R. and T. C. Bjornn. 1991. Salmonid Distributions and Life Histories. Chapter three in: Influences of Forest and Rangeland Management on Salmonid Fishes and Their Habitat, William R. Meehan, Editor, 1991.

Meehan, William R. 1991. Influences of Forest and Rangeland Management on Salmonid Fishes and their Habitat. American Fisheries Society Special Publication 19. Bethesda, Maryland, USA. 1991.

Mendle, Glen. 1991 Washington Department of Fish and Wildlife. (Personal Conversations)

Merritt, R. W. and K. W. Cummings. 1984. an Introduction to the Aquatic Insects, 2nd ed. Kendall/Hunt Publ. Co., Dubuque, IA. 722 pp.

Mongillo, P. 1992. The distribution and status of bull trout/Dolly Varden in Washington State. Draft manuscript, Washington Department of Wildlife, Olympia.

Mongillo, P.E. 1993. The Distribution and Status of Bull Trout/Dolly Varden in Washington State. Report #93-22. Washington Department of Wildlife, Fisheries Management Division, Olympia, WA.

Mullan, J. W., K. Williams, G. Rhodus, T. Hillman, and J. McIntyre. 1992. Production and habitat of salmonids in mid-Columbia River tributary streams. Monographs 1. Washington, DC. U.S. Department of the Interior, Fish and Wildlife Service. 60 pp.

Neitzel, D.A. and T.J. Frest. 1989. Survey of Columbia River Basin streams for giant Columbia River spire snail *Flumincola columbiana* and great Columbia River limpet *Fisherola nuttalli.* Tech. Rep. #PNL7103, Battelle Pacifi c Northwest Labs. 59 pp.

Neitzel, D.A., and T.J. Frest. 1990. Survey of Columbia River Basin Streams for Columbia Pebblesnail and Shortface Lanx, Fisheries. 15(2):2-3

Nez Perce Tribe Department of Fisheries Resource Management-Watershed Division, Roadside Spring Survey Report FY 2007, unpublished

Pratt, K. L. 1985. Pend Oreille trout and char life history study. Boise, ID. Idaho Department of Fish and Game. 105pp.

Potter, I.C. 1980. Ecology of Larval and Metamorphosing Lampreys. Canadian Journal of Fisheries and Aquatic Sciences 37:1641-1675.

Ratliff, D. E. and P. J. Howell. 1992. The status of bull trout populations in Oregon. in B.E. Reiman and J. D. McIntyre. Demographic and habitat requirements for conservation of bull trout. U.S. Department of Agriculture, Forest Service, Intermountain Research Station, General Technical Report INT-302, September 1993. 38 pp.

Reiman, B.E. and J. D. McIntyre. Demographic and habitat requirements for conservation of bull trout. U.S. Department of Agriculture, Forest Service, Intermountain Research Station, General Technical Report INT-302, September 1993. 38 pp.

Riggers Brian et al., 2001. "Reducing Fire Risks to Save Fish" - A question of Identifying Risk by the Montana Level I Bull Trout Team

Richards, D.C., et.al. February 2005, "Responses to FERC" Listed Species Final Report, "Hells Canyon Project" FERC No. P-1971-079

Roscoe, J.W. Roscoe, Systematics of westslope cutthroat trout, *M.S. thesis*, Colorado State University (1974).

Shepard, B., S. A. Leathe, T. M. Weaver, and M. D. Enk. 1984a. Monitoring levels of fine sediment within tributaries to Flathead Lake, and impacts of fine sediment on bull trout. in B.E. Reiman and J. D. McIntyre. Demographic and habitat requirements for conservation of bull trout. U.S. Department of Agriculture, Forest Service, Intermountain Research Station, General Technical Report INT-302, September 1993. 38 pp.

Shepard, B., K. Pratt, and P. Graham. 1984b. Life histories of Westslope cutthroat and bull trout in the upper Flathead River basin, Montana. in B.E. Reiman and J. D. McIntyre. Demographic and habitat requirements for conservation of bull trout. U.S. Department of Agriculture, Forest Service, Intermountain Research Station, General Technical Report INT-302, September 1993. 38 pp.

Taylor, D. W. 1981. Freshwater mollusks of California: A distributional checklist. California Fish and Game 67:140-163.

Thompson, F. G. & R. Hershler 1991. Two new hydrobiidsnails (Amnicolinae) from Florida and Georgia, with a discussion of the biogeography of freshwater gastropods of south Georgia streams. Malacological Review 24:55-72.

Thurow, R. 1987. Evaluation of the South Fork Salmon River steelhead trout fishery restoration program. in B.E. Reiman and J. D. McIntyre. Demographic and habitat requirements for conservation of bull trout. U.S. Department of Agriculture, Forest Service, Intermountain Research Station, General Technical Report INT-302, September 1993. 38 pp.

Torgerson, C.E. and D.A. Close. 2004. Influence of habitat heterogeneity on the distribution of larval Pacific lamprey (Lampetra tridentata) at two spatial scales. Freshwater Biology 49:614-630.

U.S.D.A. Forest Service, Northern Region 2007, "Aquatic Invertebrate Species of Concern on USFS Northern Region Lands " David M. Stagliano, George M. Stephens and William R. Bosworth, Montana Natural Heritage Foundation

USFWS (United States Fish and Wildlife Service). 2004. 90-Day finding on a petition to list three species of lampreys as threatened or endangered. Federal Register: December 27, 2004 (Volume 69, Number 2) Proposed Rules Page 77158-77167

USFWS (United States Fish and Wildlife Service). 2010. Best Management Practices to Minimize Adverse Effects to Pacific Lamprey, April 2010

Washington State Department of Fish and Wildlife Nov. 1998., Lyons Ferry Trout Evaluation Study, annual Report 1996 – 1997. By Joeseph Bumgarner, Mark Shuck, Art Viola and Jerry Dedloff

Washington State Department of Fish and Wildlife Oct. 2003., Lyons Ferry Complex Hatchery Evaluation: Summer Steelhead and Trout Report 1998, 1999 and 2000 Run Years. By Joeseph Bumgarner, Mark Shuck, Steve Martin, Lance Ross and Jerry Dedloff

Washington State Department of Fish and Wildlife Dec. 2003., Lyons Ferry Complex Hatchery Evaluation: Summer Steelhead and Trout Report 2001 and 2002 Run Years. By Joeseph Bumgarner, Maureen P. Small, Lance Ross and Jerry Dedloff

Weaver, T. and J. Fraley. 1991. Fisheries habitat and fish populations. *in* B.E. Reiman and J. D. McIntyre. Demographic and habitat requirements for conservation of bull trout. U.S. Department of Agriculture, Forest Service, Intermountain Research Station, General Technical Report INT-302, September 1993. 38 pp.

Weaver, T. and R. G. White. 1985. Coal Creek fisheries monitoring study No III. *in* B.E. Reiman and J. D. McIntyre. Demographic and habitat requirements for conservation of bull trout. U.S. Department of Agriculture, Forest Service, Intermountain Research Station, General Technical Report INT-302, September 1993. 38 pp.

REFERENCES CITED FOR PROJECT ACTIVITY

Agee JK (1998) The landscape ecology of western forest fire regimes. Northwest Science 72:24–34

Agee JK, Skinner CN (2005) Basic principles of forest fuel reduction treatments. Forest Ecology and Management 211:83–96

Anderson, Jay E.; Romme, William H. 1991. Initial floristics in lodgepole pine *(Pinus contorta)* forests following the 1988 Yellowstone fires. International Journal of Wildland Fire. 1(2): 119-124.

Anderson, J.M. 1991. The effects of climate change on decomposition processes in grassland and coniferous forests. Ecological Applications. 1: 326-347.

Arno, Stephen F.; Fiedler, Carl E. 2005. Mimicking nature's fire: restoring fire-prone forests in the West. Washington, DC: Island Press. 242 p. ISBN: 1-55963-143-0

Arno, Stephen F.; Fiedler, Carl E.; Arno, Matthew K. 2008. "Giant pines and grassy glades:" the historic ponderosa pine ecosystem, disappearing icon of the American west. Forest History Today. Spring: 12-19.

Arno, Stephen F.; Harrington, Michael G. 1998. The interior west: managing fire-dependent forests by simulating natural disturbance regimes. Forest management into the next century: what will make it work? Madison, WI: Forest Products Society: 53-62.

Arno, Stephen F.; Simmerman, Dennis G.; Keane, Robert E. 1986. Characterizing succession within a forest habitat type – an approach designed for resource managers. Research Note INT-357. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Research Station. 8 p.

Brown, Timothy J.; Hall, Beth L.; Westerling, Anthony L. 2004. The impact of twenty-first century climate change on wildland fire danger in the western United States: an applications perspective. Climatic Change. 62: 365-388.

Burns, Russell M. 1983. Silvicultural systems for the major forest types of the United States. Agriculture Handbook No. 445. Washington, DC: U.S. Department of Agriculture, Forest Service. 191 p.

Cochran, P.H.; Geist, J.M.; Clemens, D.L.; Clausnitzer, Rodrick R.; Powell, David C. 1994. Suggested stocking levels for forest stands in northeastern Oregon and southeastern Washington. Research Note PNW-RN-513. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 21 p.

Fiedler, Carl E.; Harrington, Michael G. 2004. Restoring vigor and reducing hazard in an old-growth western larch stand (Montana). Ecological Restoration. 22(2): 133-134

Fiedler, Carl E.; Keegan, Charles E. III; Woodall, Christopher W.; Morgan, Todd A. 2004. A strategic assessment of crown fire hazard in Montana: potential effectiveness and costs of hazard reduction treatments. General Technical Report PNW-GTR-622. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 48 p.

Helms, John A. 1998. The dictionary of forestry. Bethesda, MD: Society of American Foresters. 210 p. ISBN: 0-939970-73-2

Heyerdahl, Emily K.; Brubaker, Linda B.; Agee, James K. 2001. Spatial controls of historical fire regimes: a multiscale example from the interior west, USA. Ecology. 82(3): 660-678.

Kulakowski, Dominik; Veblen, Thomas T. 2003. Subalpine forest development following a blowdown in the Mount Zirkel Wilderness, Colorado. Journal of Vegetation Science. 14: 653-660.

Kulakowski, Dominik; Veblen, Thomas T. 2006. The effect of fires on susceptibility of subalpine forests to a 19th century spruce beetle outbreak in western Colorado. Canadian Journal of Forest Research. 36(11): 2974-2982.

Mason, C. Larry; Ceder, Kevin; Rogers, Heather; Bloxton, Thomas; Comnick, Jeffrey; Lippke, Bruce; McCarter, James; Zobrist, Kevin. 2003. Investigation of alternative strategies for design, layout and administration of fuel removal projects. Unnumbered Report. Seattle, WA: University of Washington, College of Forest Resources, Rural Technology Initiative. 78 p.

Mutch, Robert W.; Arno, Stephen F.; Brown, James K.; Carlson, Clinton E.; Ottmar, Roger D.; Peterson, Janice L. 1993. Forest health in the Blue Mountains: a management strategy for fire-adapted ecosystems. General Technical Report PNW-GTR-310. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 14 p.

Omi, Philip N.; Joyce, Linda A., technical editors. 2003. Fire, fuel treatments, and ecological restoration: conference proceedings. Proceedings RMRS-P-29. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. 475 p.

Perera, Ajith H.; Buse, Lisa J.; Weber, Michael G., editors. 2004. Emulating natural forest landscape disturbances: concepts and applications. New York: Columbia University Press. 315 p. ISBN: 0-231-12916-5

Powell, David C. 1999. Suggested stocking levels for forest stands in northeastern Oregon and southeastern Washington: an implementation guide for the Umatilla National Forest. Technical Publication F14-SO-TP-03-99. Pendleton, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Region, Umatilla National Forest. 300 p.

Powell, David C.; Rockwell, Victoria A.; Townsley, John J.; Booser, Joanna; Bulkin, Stephen P.; Martin, Thomas H.; Obedzinski, Bob; Zensen, Fred. 2001. Forest density management: recent history and trends for the Pacific Northwest Region. Technical Publication R6-NR-TM-TP-05-01. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Region. 21 p.

Scott, Donald W.; Schmitt, Craig L.; Ager, Alan. 1998. Analyzing insect and disease risks for watershed analysis with the UPEST risk calculator program. BMZ-98-1. La Grande, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Region, Wallowa-Whitman National Forest, Blue Mountains Pest Management Zone. 25 p.

Stephens, S.L.; Fry, D.L. 2005. Spatial distribution of regeneration patches in an old-growth *Pinus jeffreyi*-mixed conifer forest in northwestern Mexico. Journal of Vegetation Science. 16(6): 693-702.

Stephens, Scott L.; Gill, Samantha J. 2005. Forest structure and mortality in an old-growth Jeffrey pine-mixed conifer forest in north-western Mexico. Forest Ecology and Management. 205(1-3): 15-28.

References Cited for Terrestrial Invertebrates

Baker, H.B. 1930. New and problematic west American land snails. The Nautilus 43:95-128.

Bland and Cooper, 1861. Annual Lyc. Natural History, New York. Vol 7:365.

Brunson, R.B. and R.H. Russell, 1967. Radiodiscus, new to molluscan fauna of Montana. The Nautilus 81:18-22

Dornfeld, Ernst J. 1980. The Butterflies of Oregon. Timber Press, Forest Grove, Or. 276 pp.

Frest, T. J., and E. J. Johannes. 1995a. Land Snail Survey of the Lower Salmon River Drainage, Idaho. Prepared for USDI Bureau of Land Management, Boise Idaho. Contract # D910C30061.

Frest, T. J., and E. J. Johannes. 1995b. Interior Columbia Basin mollusk species of special concern. Final report: Interior Columbia Basin Ecosystem Management Project, Walla Walla, WA. Deixis Consultants, Seattle, WA. Contract #43-0E00-4-9112. 274 pp. plus appendices.

Guppy, C. S. and J. H. Shepard. 2001. Butterflies of British Columbia. UBC Press (Vancouver, BC) and Royal British Columbia Museum (Victoria, BC). 414 pp.

Hendricks, P. 2005. Surveys for Animal Species of Concern in Northwestern Montana. Prepared for Montana Department of Fish, Wildlife & Parks State Wildlife Grants Program Helena, Montana.

Hinchliff, J. 1996. Records used in the atlas of butterfly records from Washington. Unpublished.

Johnson, K. 1976. Three new Neararctic species of Callophrys (Mitoura), with a diagnostis (sic) of all Neararctic consubgeners. (Lepidoptera, Lycaenidae). Bull. Allyn Museum 38: 1-30.

NatureServe. 2009. NatureServe Explorer: An online encyclopedia of life [web application]. Version 7.1. NatureServe, Arlington, Virginia. Available http://www.natureserve.org/explorer.

Opler, P. A., and A. D. Warren. 2002. Butterflies of North America. 2. Scientific Names List for Butterfly Species of North America, north of Mexico. C.P Gillette Museum of Arthropod Diversity, Department of Bioagricultural Sciences and Pest Management, Colorado State University, Fort Collins, Colorado. 79 pp.

Opler, P.A. 1999. A field guide to western butterflies. Houghton Mifflin Co., Boston, 540 pages.

Pilsbry, H.A. 1939. Land Mollusca of North America (North of Mexico), Vol. I, Part 1., p. 558.

Pilsbry 1946. Land Mollusca of North America (North of Mexico), Volume I, Part 2. Academy of Natural Sciences of Philadelphia, described as Triodopsis populi (Vanatta) p. 871-872.

Pilsbry, H.A. 1948. Land Mollusca of North America (North of Mexico), Vol. II, Part 2., p. 658.

Pyle, R.M. 1989. Washington butterfly conservation status report. Report to WA Dpt. Wildlife. 217 pp. unpub.

Pyle, R.M. 2002. Butterflies of Cascadia. Seattle Audubon Society, Seattle, Washington. 420 pp.

Scott, James A. 1986. The Butterflies of North America: A Natural History and Field Guide. Stanford University Press, Stanford CA. 583 pp.

Vanatta 1924. Descriptions of four new American shells. (described as Polygryra populi) Proceedings, Academy of Natural Sciences of Philadelphia 76: 25-27.

Warren, A.D. 2005. Butterflies of Oregon: their taxonomy, distribution, and biology. Lepidoptera of North America 6. C.P. Gillette Museum. Colorado State University. Fort Collins, CO. 408 pp.

Webb, G F. 1970. Fragmentary Observations on Sexology of Cryptomastix hendersoni Pilsbry, and C. magnidentata Pilsbry and a new subgenus (Pulmonata, Polygyridae, Ashmunellinae). Gastropodia 1 (8):77-78.

Webb, G F. 1990. Photographs of the Copulation of Cryptomastix (Bupiogona) hendersoni. Gastropodia 2(3): 22.

VEGETATION

Adams, H.D.; Guardiola-Claramonte, M.; Barron-Gafford, G.A.; Villegas, J.C.; Breshears, D.D.; Zou, C.B.; Troch, P.A.; Huxman, T.E. 2009. Temperature sensitivity of drought-induced tree mortality portends increased regional die-off under global-change-type drought. Proceedings of the National Academy of Sciences. 106(17): 7063-7066. doi:10.1073/pnas.0901438106

Agee, J.K. 1996a. Fire in the Blue Mountains: a history, ecology, and research agenda. In: Jaindl, R.G.; Quigley, T.M., eds. Search for a solution: sustaining the land, people, and economy of the Blue Mountains. Washington, DC: American Forests in cooperation with the Blue Mountains Natural Resources Institute: 119-145.

Agee, J.K. 1996b. The influence of forest structure on fire behavior. In: Proceedings of the seventeenth annual forest vegetation management conference; 1996 January 16-18; Redding, CA: 52-68.

Agee, J.K. 1998. The landscape ecology of western forest fire regimes. Northwest Science. 72 (special issue): 24-34. http://www.vetmed.wsu.edu/org_NWS/NWSci%20journal%20articles/1998%20files/Special%20addition%201/v72%20p24%20Agee.PDF

Anderson, L.; Carlson, C.E.; Wakimoto, R.H. 1987. Forest fire frequency and western spruce budworm outbreaks in western Montana. Forest Ecology and Management. 22: 251-260. doi:10.1016/0378-1127(87)90109-5

Aplet, G.H.; Keeton, W.S. 1999. Application of historical range of variability concepts to biodiversity conservation. In: Baydack, R.K.; Campa, H.; Haufler, J.B., eds. Practical approaches to the conservation of biological diversity. Washington, DC: Island Press: 71-86.

Arkley, R.J. 1981. Soil moisture use by mixed conifer forest in a summer-dry climate. Soil Science Society of America Journal. 45: 423-427.

Arno, S.F.; Harrington, M.G.; Fiedler, C.E.; Carlson, C.E. 1995. Restoring fire-dependent ponderosa pine forests in western Montana. Restoration and Management Notes. 13(1): 32-36. doi:10.3386.er.13.1.32

Auclair, A.N.D.; Carter, T.B. 1993. Forest wildfires as a recent source of CO_2 at northern latitudes. Canadian Journal of Forest Research. 23(8): 1528-1536. doi:10.1139/x93-193

Baron, J.S.; Julius, S.H.; West, J.M.; Joyce, L.A.; Blate, G.; Peterson, C.H.; Palmer, M.; Keller, B.D.; Kareiva, P.; Scott, J.M.; Griffith, B. 2008. Some guidelines for helping natural resources adapt to climate change. IHDP Update. 2: 46-52. http://www.treesearch.fs.fed.us/pubs/32465

Barrett, J.W.; Roth, L.F. 1985. Response of dwarf mistletoe-infested ponderosa pine to thinning: 1. sapling growth. Res. Pap. PNW-330. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station. 15 p. http://www.treesearch.fs.fed.us/pubs/21472

Birdsey, R.A. 1992. Carbon storage and accumulation in United States forest ecosystems. Gen. Tech. Rep. WO-GTR-59. Washington, DC: U.S. Department of Agriculture, Forest Service, Washington Office. 51 p. http://www.treesearch.fs.fed.us/pubs/15215

Birdsey, R.A.; Jenkins, J.C.; Johnston, M.; Huber-Sannwald, E. 2007. North American forests. In: King, Anthony W.; Dilling, Lisa; Zimmerman, Gregory P.; Fairman, David M.; Houghton, Richard A.; Marland, Gregg; Rose, Adam Z.; Wilbanks, Thomas J., eds. The first state of the carbon cycle report (SOCCR): the North American carbon budget and implications for the global carbon cycle. A report by the U.S. Climate Change Science Program and the Subcommittee on Global Change Research. Asheville, NC: National Oceanic and Atmospheric Administration, National Climatic Data Center: 117-126. http://www.climatescience.gov/Library/sap/sap2-2/final-report/default.htm

Blackwood, J.D. 1998 (December 11). Historical percentages for use with HRV analyses; file designation 2430/2600 memorandum to District Rangers. Pendleton, OR: U.S. Department of Agriculture, Forest Service, Umatilla National Forest, Supervisor's Office. 8 p.

Bonan, G.B. 2008. Forests and climate change: forcings, feedbacks, and the climate benefits of forests. Science. 320(5882): 1444-1449. doi:10.1126/science.1155121

Bond, W.J.; Woodward, F.I.; Midgley, G.F. 2005. The global distribution of ecosystems in a world without fire. New Phytologist. 165(2): 525-538. doi:10.1111/j.1469-8137.2004.01252.x

Bormann, B.T.; Homann, P.S.; Darbyshire, R.L.; Morrissette, B.A. 2008. Intense forest wildfire sharply reduces mineral soil C and N: the first direct evidence. Canadian Journal of Forest Research. 38(11): 2771-2783. doi:10.1139/X08-136

Bowman, D.M.J.S.; Balch, J.K.; Artaxo, P.; Bond, W.J.; Carlson, J.M.; Cochrane, M.A.; D'Antonio, C.M.; DeFries, R.S.; Doyle, J.C.; Harrison, S.P.; Johnston, F.H.; Keeley, J.E.; Krawchuk, M.A.; Kull, C.A.; Marston, J.B.; Moritz, M.A.; Prentice, I.C.; Roos, C.I.; Scott, A.C.; Swetnam, T.W.; van der Werf, G.R.; Pyne, S.J. 2009. Fire in the Earth system. Science. 324(5926): 481-484. doi:10.1126/science.1163886

Breshears, D.D.; Cobb, N.S.; Rich, P.M.; Price, K.P.; Allen, C.D.; Balice, R.G.; Romme, W.H.; Kastens, J.H.; Floyd, M.L.; Belnap, J.; Anderson, J.J.; Myers, O.B.; Meyer, C.W. 2005. Regional vegetation die-off in response to global-change-type drought. Proceedings of the National Academy of Sciences of the United States of America. 102(42): 15144-15148. doi:10.1073/pnas.0505734102

Brown, R. 2000. Thinning, fire and forest restoration: a science-based approach for national forests in the interior northwest. Washington, DC: Defenders of Wildlife. 40 p. http://www.defenders.org/resources/publications/programs_and_policy/biodiversity_partners/thinning,_fire_and_forest_restoration.pdf

Brown, R. 2008. The implications of climate change for conservation, restoration, and management of national forest lands. [Eugene, OR]: University of Oregon. 32 p. http://www.defenders.org/resources/publications/programs_and_policy/biodiversity_partners/implications_of_climate_change_for_conservation,_restoration_and_management_of_national_forest_lands.pdf

Brown, R.T.; Agee, J.K.; Franklin, J.F. 2004. Forest restoration and fire: principles in the context of place. Conservation Biology. 18(4): 903-912. doi:10.1111/j.1523-1739.2004.521_1.x

Brown, S.; Palola, E.; Lorenzo, M. 2006. The possibility of plantations: integrating ecological forestry into plantation systems. Reston, VA: National Wildlife Federation. 40 p. http://www.nwf.org/wildlife/pdfs/Plantations.pdf

Burns, R.M., compiler. 1989. The scientific basis for silvicultural and management decisions in the national forest system. Gen. Tech. Rep. WO-55. Washington, DC: U.S. Department of Agriculture, Forest Service. 180 p.

Canadell, J.G.; Raupach, M.R. 2008. Managing forests for climate change mitigation. Science. 320(5882): 1456-1457. doi:10.1126/science.1155458

Carlson, C.E.; Wulf, N.W. 1989. Silvicultural strategies to reduce stand and forest susceptibility to the western spruce budworm. Agric. Hand. No. 676. Washington, DC: U.S. Department of Agriculture, Forest Service, Cooperative State Research Service. 31 p.

Carroll, A.L.; Taylor, S.W.; Régniere, J.; Safranyik, L. 2004. Effects of climate change on range expansion by the mountain pine beetle in British Columbia. In: Shore, T.L.; Brooks, J.E.; Stone, J.E., eds. Mountain pine beetle symposium: challenges and solutions. Infor. Rep. BC-X-399. Victoria, BC: Natural Resources Canada, Canadian Forest Service, Pacific Forestry Centre: 223-232. http://bookstore.cfs.nrcan.gc.ca/detail_e.php?recid=12584398

Cayan, D.R.; Kammerdiener, S.A.; Dettinger, M.D.; Caprio, J.M.; Peterson, D.H. 2001. Changes in the onset of spring in the western United States. Bulletin of American Meteorological Society. 82(3): 399-415. doi:10.1175/1520-0477(2001)082<0399:CITOOS>2.3.CO;2

Chapin, F.; Woodwell, G.; Randerson, J.; Rastetter, E.; Lovett, G.; Baldocchi, D.; Clark, D.; Harmon, M.; Schimel, D.; Valentini, R.; Wirth, C.; Aber, J.; Cole, J.; Goulden, M.; Harden, J.; Heimann, M.; Howarth, R.; Matson, P.; McGuire, A.; Melillo, J.; Mooney, H.; Neff, J.; Houghton, R.; Pace, M.; Ryan, M.; Running, S.; Sala, O.; Schlesinger, W.; Schulze, E.-D. 2006. Reconciling carbon-cycle concepts, terminology, and methods. Ecosystems. 9(7): 1041-1050. doi:10.1007/s10021-005-0105-7

Christensen, G.A.; Dunham, P.; Powell, D.C.; Hiserote, B. 2007. Forest resources of the Umatilla National Forest. Res. Bull. PNW-RB-253. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 38 p. http://www.treesearch.fs.fed.us/pubs/27656

Christiansen, E.; Waring, R.H.; Berryman, A.A. 1987. Resistance of conifers to bark beetle attack: searching for general relationships. Forest Ecology and Management. 22: 89-106. doi:10.1016/0378-1127(87)90098-3

Cochran, P.H. 1992. Stocking levels and underlying assumptions for uneven-aged ponderosa pine stands. Res. Note PNW-RN-509. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 10 p. http://www.treesearch.fs.fed.us/pubs/25110

Cochran, P.H.; Barrett, J.W. 1993. Long-term response of planted ponderosa pine to thinning in Oregon's Blue Mountains. Western Journal of Applied Forestry. 8(4): 126-132. http://www.ingentaconnect.com/content/saf/wjaf/1993/00000008/00000004/art00007

Cochran, P.H.; Geist, J.M.; Clemens, D.L.; Clausnitzer, R.R.; Powell, D.C. 1994. Suggested stocking levels for forest stands in northeastern Oregon and southeastern Washington. Res. Note PNW-RN-513. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 21 p. http://www.treesearch.fs.fed.us/pubs/25113

Cook, E.R.; Meko, D.M.; Stahle, D.W.; Cleaveland, M.K. 1999. Drought reconstructions for the continental United States. Journal of Climate. 12(4): 1145-1162. doi:10.1175/1520-0442(1999)012<1145:DRFTCU>2.0.CO;2

Cook, E.R.; Woodhouse, C.A.; Eakin, C.M.; Meko, D.M.; Stahle, D.W. 2004. Long-term aridity changes in the western United States. Science. 306(5698): 1015-1018. doi:10.1126/science.1102586

Cook, R.J. 2007 (May 2). Advice on documenting "best available science"; 1920/1950 memorandum to Regional Planning Directors. Washington, DC: U.S. Department of Agriculture, Forest Service, Washington Office. 2 p.

Coops, N.; Waring, R. 2011. A process-based approach to estimate lodgepole pine (*Pinus contorta*; Dougl.) distribution in the Pacific Northwest under climate change. Climatic Change. 105(1): 313-328. doi:10.1007/s10584-010-9861-2

Crookston, N.L.; Moeur, M.; Renner, D. 2002. Users guide to the most similar neighbor imputation program, version 2. Gen. Tech. Rep. RMRS-GTR-96. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. 35 p. http://www.treesearch.fs.fed.us/pubs/4813

Dai, A.; Trenberth, K.E.; Karl, T.R. 1998. Global variations in droughts and wet spells: 1900-1995. Geophysical Research Letters. 25(17): 3367-3370. doi:10.1029/98GL52511

Dale, V.H.; Joyce, L.A.; McNulty, S.; Neilson, R.P.; Ayres, M.P.; Flannigan, M.D.; Hanson, P.J.; Irland, L.C.; Lugo, A.E.; Peterson, C.J.; Simberloff, D.; Swanson, F.J.; Stocks, B.J.; Wotton, B.M. 2001. Climate change and forest disturbances. BioScience. 51(9): 723-734. doi:10.1641/0006-3568(2001)051[0723:CCAFD]2.0.CO;2

Davis, M.B.; Shaw, R.G. 2001. Range shifts and adaptive responses to quaternary climate change. Science. 292(5517): 673-679. doi:10.1126/science.292.5517.673

DeLuca, T.H.; Aplet, G.H. 2008. Charcoal and carbon storage in forest soils of the Rocky Mountain west. Frontiers in Ecology and the Environment. 6(1): 18-24. doi:10.1890/070070

Dillard, D.S. 2007 (June 20). Clarification of May 2nd, 2007, advice on documenting "best available science"; 1920/1950 memorandum to Regional Planning Directors. Washington, DC: U.S. Department of Agriculture, Forest Service, Washington Office. 2 p.

Dixon, G.E. 2009. Essential FVS: a user's guide to the Forest Vegetation Simulator. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Washington Office, Forest Management Service Center. 220 p. http://www.fs.fed.us/fmsc/fvs/documents/gtrs_essentialfvs.php

Donovan, G.H.; Brown, T.C. 2005. An alternative incentive structure for wildfire management on national forest land. Forest Science. 51(5): 387-395. http://www.treesearch.fs.fed.us/pubs/24418

Donovan, G.H.; Brown, T.C. 2007. Be careful what you wish for: the legacy of Smokey Bear. Frontiers in Ecology and the Environment. 5(2): 73-79. doi:10.1890/1540-9295(2007)5[73:BCWYWF]2.0.CO;2

Donovan, G.H.; Brown, T.C. 2008. Estimating the avoided fuel-treatment costs of wildfire. Western Journal of Applied Forestry. 23(4): 197-201. http://www.treesearch.fs.fed.us/pubs/31763

Dore, S.; Kolb, T.E.; Montes-Helu, M.; Sullivan, B.W.; Winslow, W.D.; Hart, S.C.; Kaye, J.P.; Koch, G.W.; Hungate, B.A. 2008. Long-term impact of a stand-replacing fire on ecosystem CO_2 exchange of a ponderosa pine forest. Global Change Biology. 14(8): 1801-1820. doi:10.1111/j.1365-2486.2008.01613.x

Dunster, J.; Dunster, K. 1996. Dictionary of natural resource management. Vancouver, BC: UBC Press. 363 p. ISBN:0-7748-0503-X

Eckberg, T.B.; Schmid, J.M.; Mata, S.A.; Lundquist, J.E. 1994. Primary focus trees for the mountain pine beetle in the Black Hills. Res. Note RM-RN-531. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station. 10 p.

Egan, D.; Howell, E.A. 2001. The historical ecology handbook: a restorationist's guide to reference ecosystems. Washington, DC: Island Press. 457 p. isbn:1-55963-746-3

Eriksson, E.; Gillespie, A.R.; Gustavsson, L.; Langvall, O.; Olsson, M.; Sathre, R.; Stendahl, J. 2007. Integrated carbon analysis of forest management practices and wood substitution. Canadian Journal of Forest Research. 37(3): 671-681. doi:10.1139/X06-257

Everett, R.; Hessburg, P.; Jensen, M.; Bormann, B. 1994. Volume 1: executive summary. Gen. Tech. Rep. PNW-GTR-317. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 61 p.

Everett, R.L.; Schellhaas, R.; Keenum, D.; Spurbeck, D.; Ohlson, P. 2000. Fire history in the ponderosa pine/Douglas-fir forests on the east slope of the Washington Cascades. Forest Ecology and Management. 129: 207-225. doi:10.1016/S0378-1127(99)00168-1

Eyre, F.H., editor. 1980. Forest cover types of the United States and Canada. Washington, DC: Society of American Foresters. 148 p. ISBN:978-0686306979

Fahey, T.J; Woodbury, P.B; Battles, J.J; Goodale, C.L; Hamburg, S.; Ollinger, S.; Woodall, C.W. 2009. Forest carbon storage: ecology, management, and policy. Frontiers in Ecology and the Environment. doi:10.1890/080169

Fellows, A.W.; Goulden, M.L. 2008. Has fire suppression increased the amount of carbon stored in western U.S. forests? Geophysical Research Letters. 35: L12404. doi:10.1029/2008GL033965

Fiedler, C.E. 2000a. Restoration treatments promote growth and reduce mortality of old-growth ponderosa pine (Montana). Ecological Restoration. 18(2): 117-119. doi:10.3368/er.18.2.117

Fiedler, C.E. 2000b. Silvicultural treatments. In: Smith, H.Y., ed. The Bitterroot Ecosystem Management Research Project: what we have learned. Proceedings RMRS-P-17. Ogden, UT: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station: 19-20. http://www.treesearch.fs.fed.us/pubs/21649

Fiedler, C.E.; Keegan, C.E.; Woodall, C.W.; Morgan, T.A. 2004. A strategic assessment of crown fire hazard in Montana: potential effectiveness and costs of hazard reduction treatments. Gen. Tech. Rep. PNW-GTR-622. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 48 p. http://www.treesearch.fs.fed.us/pubs/7448

Flannigan, M.D.; Amiro, B.D.; Logan, K.A.; Stocks, B.J.; Wotton, B.M. 2005. Forest fires and climate change in the 21st century. Mitigation and Adaptation Strategies for Global Change. 11: 847-859. doi:10.1007/s11027-005-9020-7

Fleming, R.A.; Volney, W.J.A. 1995. Effects of climate change on insect defoliator population processes in Canada's boreal forest: some plausible scenarios. Water, Air, and Soil Pollution. 82(1): 445-454. doi:10.1007/BF01182854

Franceschi, V.R.; Krokene, P.; Christiansen, E.; Krekling, T. 2005. Anatomical and chemical defenses of conifer bark against bark beetles and other pests. New Phytologist. 167(2): 353-376. doi:10.1111/j.1469-8137.2005.01436.x

Fujishin, M. 2009 (May 20). Issues and alternative approval; file designation 1950/2410 memorandum to the files. Pomeroy, WA: U.S. Department of Agriculture, Forest Service, Pomeroy Ranger District. 4 p.

General Accounting Office (GAO). 1999. Western national forests: a cohesive strategy is needed to address catastrophic wildland fire threats. Rep. GAO/RCED-99-65. Washington, DC: General Accounting Office. 60 p. http://frwebgate.access.gpo.gov/cgi-bin/getdoc.cgi?dbname=gao&docid=f:rc99065.pdf

Gillett, N.P.; Weaver, A.J.; Zwiers, F.W.; Flannigan, M.D. 2004. Detecting the effect of climate change on Canadian forest fires. Geophysical Research Letters. 31: L18211. doi:10.1029/2004GLO20876

Gorte, R.W. 1995. Forest fires and forest health. Report for Congress 95-511 ENR. Washington, DC: Congressional Research Service. 5 p. http://www.ncseonline.org/nle/crsreports/forests/for-23.cfm

Graham, R.T.; Harvey, A.E.; Jain, T.B.; Tonn, J.R. 1999. The effects of thinning and similar stand treatments on fire behavior in western forests. Gen. Tech. Rep. PNW-GTR-463. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 27 p. http://www.treesearch.fs.fed.us/pubs/2979

Graham, R.T.; McCaffrey, S.; Jain, T.B., technical editors. 2004. Science basis for changing forest structure to modify wildfire behavior and severity. Gen. Tech. Rep. RMRS-GTR-120. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. 43 p. http://www.treesearch.fs.fed.us/pubs/6279

Graumlich, L.J. 1987. Precipitation variation in the Pacific Northwest (1675-1975) as reconstructed from tree rings. Annals of the Association of American Geographers. 77(1): 19-29. http://www.jstor.org/stable/2569199

Gustavsson, L.; Madlener, R.; Hoen, H.-F.; Jungmeier, G.; Karjalainen, T.; Klöhn, S.; Mahapatra, K.; Pohjola, J.; Solberg, B.; Spelter, H. 2006. The role of wood material for greenhouse gas mitigation. Mitigation and Adaptation Strategies for Global Change. 11(5): 1097-1127. doi:10.1007/s11027-006-9035-8

Hall, F.C. 1973. Plant communities of the Blue Mountains in eastern Oregon and southeastern Washington. R6 Area Guide 3-1. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Region. 62 p.

Hall, F.C. 1993. Structural stages by plant association group: Malheur and Ochoco National Forests. Unpub. Rep. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Region. 5 p.

Hamann, A.; Wang, T.L. 2005. Models of climatic normals for genecology and climate change studies in British Columbia. Agricultural and Forest Meteorology. 128(3-4): 211-221. doi:10.1016/j.agrformet.2004.10.004

Hanger, T. 2009. Fuels specialist report; RHCA treatment. Pomeroy, WA: U.S. Department of Agriculture, Forest Service, Umatilla National Forest, Pomeroy Ranger District. 4 p.

Harrod, R.J.; McRae, B.H.; Hartl, W.E. 1999. Historical stand reconstruction in ponderosa pine forests to guide silvicultural prescriptions. Forest Ecology and Management. 114: 433-446. doi:10.1016/S0378-1127(98)00373-9

Hedrick, D.W.; Young, J.A.; McArthur, J.A.B.; Keniston, R.F. 1968. Effects of forest and grazing practices on mixed coniferous forests of northeastern Oregon. Tech. Bull. 103. Corvallis, OR: Oregon State University, Agricultural Experiment Station. 24 p.

Helms, J.A., editor. 1998. The dictionary of forestry. Bethesda, MD: The Society of American Foresters. 210 p. ISBN:0-939970-73-2

Hessburg, P.F.; Smith, B.G.; Kreiter, S.D.; Miller, C.A.; Salter, R.B.; McNicholl, C.H.; Hann, W.J. 1999a. Historical and current forest and range landscapes in the interior Columbia River basin and portions of the Klamath and Great basins. Part 1: linking vegetation patterns and landscape vulnerability to potential insect and pathogen disturbances. Gen. Tech. Rep. PNW-GTR-458. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 357 p.
http://www.treesearch.fs.fed.us/pubs/29638

Hessburg, P.F.; Smith, B.G.; Miller, C.A.; Kreiter, S.D.; Salter, R.B. 1999b. Modeling change in potential landscape vulnerability to forest insect and pathogen disturbances: methods for forested subwatersheds sampled in the midscale interior Columbia River basin assessment. Gen. Tech. Rep. PNW-GTR-454. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 56 p. http://www.treesearch.fs.fed.us/pubs/2987

Heyerdahl, E.K. 1997. Spatial and temporal variation in historical fire regimes of the Blue Mountains, Oregon and Washington: the influence of climate. Ph.D. dissertation. Seattle, WA: University of Washington, College of Forest Resources. 224 p.

Heyerdahl, E.K.; Brubaker, L.B.; Agee, J.K. 2001. Spatial controls of historical fire regimes: a multiscale example from the interior west, USA. Ecology. 82(3): 660-678. doi:10.1890/0012-9658(2001)082[0660:SCOHFR]2.0.CO;2

Heyerdahl, E.K.; Brubaker, L.B.; Agee, J.K. 2002. Annual and decadal climate forcing of historical fire regimes in the interior Pacific Northwest, USA. Holocene. 12(5): 597-604. doi:10.1191/0959683602hl570rp

Heyerdahl, E.K.; McKenzie, D.; Daniels, L.D.; Hessl, A.E.; Littell, J.S.; Mantua, N.J. 2008. Climate drivers of regionally synchronous fires in the inland Northwest (1651-1900). International Journal of Wildland Fire. 17(1): 40-49. doi:10.1071/WF07024

Heyerdahl, E.K.; Morgan, P.; Riser, J.P. II. 2008. Multi-season climate synchronized historical fires in dry forests (1650-1900), northern Rockies, USA. Ecology. 89(3): 705-716. doi:10.1890/06-2047.1

Holling, C.S.; Meffe, G.K. 1996. Command and control and the pathology of natural resource management. Conservation Biology. 10(2): 328-337. doi:10.1046/j.1523-1739.1996.10020328.x

Houghton, R.A.; Hackler, J.L.; Lawrence, K.T. 2000. Changes in terrestrial carbon storage in the United States. 2: The role of fire and fire management. Global Ecology & Biogeography. 9:145-170. doi:10.1046/j.1365-2699.2000.00164.x

Hurteau, M.; Hungate, B.; Koch, G. 2009. Accounting for risk in valuing forest carbon offsets. Carbon Balance and Management. 4:1 doi:10.1186/1750-0680-4-1

Hurteau, M.D.; Koch, G.W.; Hungate, B.A. 2008. Carbon protection and fire risk reduction: toward a full accounting of forest carbon offsets. Frontiers in Ecology and the Environment. 6(9): 493-498. doi:10.1890/070187

Hurteau, M.; North, M. 2009. Fuel treatment effects on tree-based forest carbon storage and emissions under modeled wildfire scenarios. Frontiers in Ecology and the Environment. 7. doi:10.1890/080049

Hurteau, M.D.; North, M. 2010. Carbon recovery rates following different wildfire risk mitigation treatments. Forest Ecology and Management. 260(5): 930-937. doi:10.1016/j.foreco.2010.06.015

Hurtt, G.C.; Pacala, S.W.; Moorcroft, P.R.; Caspersen, J.; Shevliakova, E.; Houghton, R.A.; Moore, B. 2002. Projecting the future of the U.S. carbon sink. Proceedings of the National Academy of Sciences of the United States of America. 99(3): 1389-1394. doi:10.1073/pnas.012249999

IPCC. 2007. Climate change 2007: synthesis report. Contribution of working groups I, II and III to the fourth assessment report of the Intergovernmental Panel on Climate Change [IPCC]. Geneva, Switzerland: IPCC. 104 p. http://www.ipcc.ch/publications_and_data/publications_ipcc_fourth_assessment_report_synthesis_report.htm

Jenkins, J.C.; Chojnacky, D.C.; Heath, L.S.; Birdsey, R.A. 2003. National-scale biomass indicators for United States tree species. Forest Science. 49(1): 12-35. http://www.treesearch.fs.fed.us/pubs/6996

Johnson, C.G. 1993 (August 9). Ecosystem screens; file designation 2060 memorandum to Wallowa-Whitman, Umatilla, and Malheur Forest Supervisors. Baker City, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Region, Wallowa-Whitman National Forest. 4 p (and 6 exhibits).

Johnson, C.G., Jr.; Clausnitzer, R.R. 1992. Plant associations of the Blue and Ochoco Mountains. Tech. Pub. R6-ERW-TP-036-92. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Region, Wallowa-Whitman National Forest. 164 p. http:

Joyce, L.A.; Blate, G.M.; Littell, J.S.; McNulty, S.G.; Millar, C.I.; Moser, S.C.; Neilson, R.P.; O'Halloran, K.; Peterson, D.L. 2008. National forests. In: Julius, S.H.; West, J.M., editors. Preliminary review of adaptation options for climate-sensitive ecosystems and resources. Washington, DC: U.S. Environmental Protection Agency: 3-1 to 3-127. http://www.treesearch.fs.fed.us/pubs/30612

Joyce, L.; Blate, G.; McNulty, S.; Millar, C.; Moser, S.; Neilson, R.; Peterson, D. 2009. Managing for multiple resources under climate change: national forests. Environmental Management. 44(6): 1022-1032. doi:10.1007/s00267-009-9324-6

Justice, D.C. 2009a. Climate change scenarios for primary conifer species of the South George planning area. Unpub. Rep. Pendleton, OR: U.S. Department of Agriculture, Forest Service, Umatilla National Forest, Supervisor's Office. 14 p.

Justice, D.C. 2009b. Existing forest vegetation database and theme development. [Pendleton, OR]: U.S. Department of Agriculture, Forest Service, Umatilla National Forest, Pomeroy Ranger District. 43 p (plus 3 appendixes).

Kalabokidis, K.D.; Omi, P.N. 1998. Reduction of fire hazard through thinning/residue disposal in the urban interface. International Journal of Wildland Fire. 8(1): 29-35. doi:10.1071/WF9980029

Kaufmann, M.R.; Graham, R.T.; Boyce, D.A., Jr.; Moir, W.H.; Perry, L.; Reynolds, R.T.; Bassett, R.L.; Mehlhop, P.; Edminster, C.B.; Block, W.M.; Corn, P.S. 1994. An ecological basis for ecosystem management. Gen. Tech. Rep. RM-246. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station. 22 p. http://www.treesearch.fs.fed.us/pubs/7612

Keane, R.E.; Hessburg, P.F.; Landres, P.B.; Swanson, F.J. 2009. The use of historical range and variability (HRV) in landscape management. Forest Ecology and Management. 258(7): 1025-1037. doi:10.1016/j.foreco.2009.05.035

Keen, F.P. 1937. Climatic cycles in eastern Oregon as indicated by tree rings. Monthly Weather Review. 65(5): 175-188. doi:10.1175/1520-0493(1937)65<175:CCIEOA>2.0.CO;2

Keith, H.; Mackey, B.G.; Lindenmayer, D.B. 2009. Re-evaluation of forest biomass carbon stocks and lessons from the world's most carbon-dense forests. Proceedings of the National Academy of Sciences. 106(28): 11635-11640. doi:10.1073/pnas.0901970106

Keyes, C.R.; O'Hara, K.L. 2002. Quantifying stand targets for silvicultural prevention of crown fires. Western Journal of Applied Forestry. 17(2): 101-109. http://www.ingentaconnect.com/content/saf/wjaf/2002/00000017/00000002/art00007

Kitzberger, T.; Brown, P.M.; Heyerdahl, E.K.; Swetnam, T.W.; Veblen, T.T. 2007. Contingent Pacific–Atlantic Ocean influence on multicentury wildfire synchrony over western North America. Proceedings of the National Academy of Sciences. 104(2): 543-548. doi:10.1073/pnas.0606078104

Kline, J.P. 1995 (August 14). Reforestation and salvage sales; file designation 2470-3 memorandum to District Rangers. Pendleton, OR: U.S. Department of Agriculture, Forest Service, Umatilla National Forest, Supervisor's Office. 4 p.

Knutson, D.; Tinnin, R. 1986. Effects of dwarf mistletoe on the response of young Douglas-fir to thinning. Canadian Journal of Forest Research. 16(1): 30-35. doi:10.1139/x86-006

Kolb, T.E.; Holmberg, K.M.; Wagner, M.R.; Stone, J.E. 1998. Regulation of ponderosa pine foliar physiology and insect resistance mechanisms by basal area treatments. Tree Physiology. 18(6): 375-381. doi:10.1093/treephys/18.6.375

Kurz, W.A.; Dymond, C.C.; Stinson, G.; Rampley, G.J.; Neilson, E.T.; Carroll, A.L.; Ebata, T.; Safranyik, L. 2008a. Mountain pine beetle and forest carbon feedback to climate change. Nature. 452(7190): 987-990. doi:10.1038/nature06777

Kurz, W.A.; Stinson, G.; Rampley, G.J.; Dymond, C.C.; Neilson, E.T. 2008b. Risk of natural disturbances makes future contribution of Canada's forests to the global carbon cycle highly uncertain. Proceedings of the National Academy of Sciences. 105(5): 1551-1555. doi:10.1073/pnas.0708133105

Landres, P.B.; Morgan, P.; Swanson, F.J. 1999. Overview of the use of natural variability concepts in managing ecological systems. Ecological Applications. 9(4): 1179-1188. doi:10.1890/1051-0761(1999)009[1179:OOTUON]2.0.CO;2

Larsson, S.; Oren, R.; Waring, R.H.; Barrett, J.W. 1983. Attacks of mountain pine beetle as related to tree vigor of ponderosa pine. Forest Science. 29(2): 395-402. http://www.ingentaconnect.com/content/saf/fs/1983/00000029/00000002/art00029

Laverty, L.; Williams, J. 2000. Protecting people and sustaining resources in fire-adapted ecosystems: a cohesive strategy. Washington, DC: U.S. Department of Agriculture, Forest Service. 85 p. http://www.fs.fed.us/publications/2000/cohesive_strategy10132000.pdf

Lehmkuhl, J.F.; Hessburg, P.F.; Everett, R.L.; Huff, M.H.; Ottmar, R.D. 1994. Historical and current forest landscapes of eastern Oregon and Washington. Part 1: Vegetation pattern and insect and disease hazards. Gen. Tech. Rep. PNW-GTR-328. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 88 p. http://www.treesearch.fs.fed.us/pubs/6407

Lesica, P. 1996. Using fire history models to estimate proportions of old growth forest in northwest Montana, USA. Biological Conservation. 77: 33-39. doi:10.1016/0006-3207(95)00130-1

Logan, J.A.; Régniere, J.; Powell, J.A. 2003. Assessing the impacts of global warming on forest pest dynamics. Frontiers in Ecology and the Environment. 1(3): 130-137. doi:10.1890/1540-9295(2003)001[0130:ATIOGW]2.0.CO;2

Lowe, J.E. 1995 (November 14). Regional Forester Amendment #2 implementation – Umatilla NF trip; file designation 2430/2600 memorandum to Forest Supervisors: Colville, Deschutes, Fremont, Malheur, Ochoco, Okanogan, Umatilla National Forest, Wallowa-Whitman, and Winema NFs. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Region. 4 p.

Luyssaert, S.; Schulze, E.D.; Borner, A.; Knohl, A.; Hessenmoller, D.; Law, B.E.; Ciais, P.; Grace, J. 2008. Old-growth forests as global carbon sinks. Nature. 455(7210): 213-215. doi:10.1038/nature07276

Lynch, H.J.; Renkin, R.A.; Crabtree, R.L.; Moorcroft, P.R. 2006. The influence of previous mountain pine beetle (*Dendroctonus ponderosae*) activity on the 1988 Yellowstone fires. Ecosystems. 9(8): 1318-1327. doi:10.1007/s10021-006-0173-3

Macias Fauria, M.; Johnson, E.A. 2006. Large-scale climatic patterns control large lightning fire occurrence in Canada and Alaska forest regions. Journal of Geophysical Research. 111: G04008. doi:10.1029/2006JG000181

Macias Fauria, M.; Johnson, E.A. 2009. Large-scale climatic patterns and area affected by mountain pine beetle in British Columbia, Canada. Journal of Geophysical Research. 114: G01012. doi:10.1029/2008JG000760

Man, R.; Kayahara, G.J.; Dang, Q.-L.; Rice, J.A. 2009. A case of severe frost damage prior to budbreak in young conifers in northeastern Ontario: Consequence of climate change? Forestry Chronicle. 85(3): 453-462. http://pubservices.nrc-cnrc.ca/rp-ps/absres.jsp?jcode=tfc&ftl=tfc85453-3&lang=eng

Mason, C.L.; Ceder, K.; Rogers, H.; Bloxton, T.; Comnick, J.; Lippke, B.; McCarter, J.; Zobrist, K. 2003. Investigation of alternative strategies for design, layout and administration of fuel removal projects. Seattle, WA: University of Washington, College of Forest Resources, Rural Technology Initiative. 78 p. http://www.ruraltech.org/pubs/reports/fuel_removal/index.asp

Mast, J.N.; Fulé, P.Z.; Moore, M.M.; Covington, W.W.; Waltz, A.E.M. 1999. Restoration of presettlement age structure of an Arizona ponderosa pine forest. Ecological Applications. 9(1): 228-239. doi:10.1890/1051-0761(1999)009[0228:ROPASO]2.0.CO;2

McKenney, D.W.; Pedlar, J.H.; Lawrence, K.; Campbell, K.; Hutchinson, M.F. 2007. Potential impacts of climate change on the distribution of North American trees. BioScience. 57(11): 939-948. http://www.bioone.org/doi/pdf/10.1641/B571106

Meehl, G.A.; Tebaldi, C. 2004. More intense, more frequent, and longer lasting heat waves in the 21st century. Science. 305(5686): 994-997. doi:10.1126/science.1098704

Millar, C.I.; Woolfenden, W.B. 1999. The role of climate change in interpreting historical variability. Ecological Applications. 9(4): 1207-1216. doi:10.1890/1051-0761(1999)009[1207:TROCCI]2.0.CO;2

Miller, J.; Safford, H.; Crimmins, M.; Thode, A. 2009. Quantitative evidence for increasing forest fire severity in the Sierra Nevada and southern Cascade Mountains, California and Nevada, USA. Ecosystems. 12:16-32. doi:10.1007/s10021-008-9201-9

Miner, R.; Perez-Garcia, J. 2007. The greenhouse gas and carbon profile of the global forest products industry. Forest Products Journal. 57(10): 80-90.

Mitchell, R.G.; Martin, R.E. 1980. Fire and insects in pine culture of the Pacific Northwest. In: Martin, R.E.; Edmonds, R.L.; Faulkner, D.A.; Harrington, J.B.; Fuquay, D.M.; Stocks, B.J.; Barr, S., eds. Proceedings: sixth conference on fire and forest meteorology. Washington, DC: Society of American Foresters: 182-190.

Mitchell, R.G.; Waring, R.H.; Pitman, G.B. 1983. Thinning lodgepole pine increases tree vigor and resistance to mountain pine beetle. Forest Science. 29(1): 204-211. http://www.ingentaconnect.com/content/saf/fs/1983/00000029/00000001/art00031

Moeur, M.; Stage, A.R. 1995. Most similar neighbor: an improved sampling inference procedure for natural resource planning. Forest Science. 41(2): 337-359. http://www.ingentaconnect.com/content/saf/fs/1995/00000041/00000002/art00012

Moghissi, A.A.; Love, B.R.; Straja, S.R.; McBride, D.K.; Swetnam, M.S. 2008. Best available science: its evolution, taxonomy, and application. Arlington, VA: Potomac Institute for Policy Studies. 93 p. http://www.potomacinstitute.org/publications/Best%20Available%20Science%20FINAL.pdf

Morehouse, K.; Johns, T.; Kaye, J.; Kaye, M. 2008. Carbon and nitrogen cycling immediately following bark beetle outbreaks in southwestern ponderosa pine forests. Forest Ecology and Management. 255(7): 2698-2708. doi:10.1016/j.foreco.2008.01.050

Morgan, P.; Aplet, G.H.; Haufler, J.B.; Humphries, H.C.; Moore, M.M.; Wilson, W.D. 1994. Historical range of variability: a useful tool for evaluating ecosystem change. Journal of Sustainable Forestry. 2(1/2): 87-111. doi:10.1300/J091v02n01_04

Morgan, P.; Parsons, R. 2001. Historical range of variability of forests of the Idaho southern batholith ecosystem. Unpublished report submitted to Boise Cascade Corporation. Moscow, ID: University of Idaho, Department of Forest Resources. 34 p. http://www.fs.fed.us/r6/uma/publications/HRV_Idaho_So_Batholith_Ecosys.PDF

Mote, P.W. 2003. Trends in temperature and precipitation in the Pacific Northwest during the twentieth century. Northwest Science. 77(4): 271-282. http://www.vetmed.wsu.edu/org_NWS/NWSci%20journal%20articles/2003%20files/Issue%204/v77%20p271%20Mote.PDF

Mote, P.; Salathé, E. 2010. Future climate in the Pacific Northwest. Climatic Change 102(1): 29-50. doi:10.1007/s10584-010-9848-z

Munger, T.T. 1917. Western yellow pine in Oregon. Bull. No. 418. Washington, DC: U.S. Department of Agriculture. 48 p. http://www.fs.fed.us/r6/uma/publications/history/Munger1917.pdf

Mutch, R.W.; Arno, S.F.; Brown, J.K.; Carlson, C.E.; Ottmar, R.D.; Peterson, J.L. 1993. Forest health in the Blue Mountains: a management strategy for fire-adapted ecosystems. Gen. Tech. Rep. PNW-GTR-310. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 14 p. http://www.treesearch.fs.fed.us/pubs/9056

Myneni, R.B.; Keeling, C.D.; Tucker, C.J.; Asrar, G.; Nemani, R.R. 1997. Increased plant growth in the northern high latitudes from 1981 to 1991. Nature. 386(6626): 698-702. doi:10.1038/386698a0

Nabuurs, G.J.; Masera, O.; Andrasko, K.; Benitez-Ponce, P.; Boer, R.; Dutschke, M.; Elsiddig, E.; Ford-Robertson, J.; Frumhoff, P.; Karjalainen, T.; Krankina, O.; Kurz, W.A.; Matsumoto, M.; Oyhantcabal, W.; Ravindranath, N.H.; Sanz Sanchez, M.J.; Zhang, X. 2007. Forestry. In: Climate change 2007: mitigation. Contribution of Working Group III to the fourth assessment report of the Intergovernmental Panel on Climate Change. Cambridge, UK: Cambridge University Press: 541-584. http://www.ipcc.ch/pdf/assessment-report/ar4/wg3/ar4-wg3-chapter9.pdf

Negrón, J.F.; Popp, J.B. 2004. Probability of ponderosa pine infestation by mountain pine beetle in the Colorado Front Range. Forest Ecology and Management. 191(1-3): 17-27. doi:10.1016/j.foreco.2003.10.026

North, M.; Hurteau, M.; Innes, J. 2009. Fire suppression and fuels treatment effects on mixed-conifer carbon stocks and emissions. Ecological Applications. 19(6): 1385-1396. doi:10.1890/08-1173.1

Obedzinski, R.A.; Schmid, J.M.; Mata, S.A.; Olsen, W.K.; Kessler, R.R. 1999. Growth of ponderosa pine stands in relation to mountain pine beetle susceptibility. Gen. Tech. Rep. RMRS-GTR-28. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. 13 p. http://www.treesearch.fs.fed.us/pubs/31983

O'Hara, K.L.; Latham, P.A.; Hessburg, P.; Smith, B.G. 1996. A structural classification for inland Northwest forest vegetation. Western Journal of Applied Forestry. 11(3): 97-102. http://www.treesearch.fs.fed.us/pubs/4746

Oliver, C.D.; Larson, B.C. 1996. Forest stand dynamics. Update edition. New York: John Wiley. 520 p. ISBN:0-471-13833-9

Oliver, W.W. 1995. Is self-thinning in ponderosa pine ruled by *Dendroctonus* bark beetles? In: Eskew, L.G., comp. Forest health through silviculture; proceedings of the 1995 National Silviculture Workshop. Gen. Tech. Rep. RM-GTR-267. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station: 213-218. http://www.treesearch.fs.fed.us/pubs/23504

Oliver, W.W.; Uzoh, F.C.C. 1997. Maximum stand densities for ponderosa pine and red and white fir in northern California. In: Landram, M., chair. Proceedings: 18th annual forest vegetation management conference. Redding, CA: Forest Vegetation Management Conference: 57-65.

Olsson, P.; Folke, C.; Berkes, F. 2004. Adaptive comanagement for building resilience in social-ecological systems. Environmental Management. 34(1): 75-90. doi:10.1007/s00267-003-0101-7

Parry, M.L.; Canziani, O.F.; Palutikof, J.P.; and others. 2007. Technical summary. In: Parry, M.L.; Canziani, O.F.; Palutikof, J.P.; van der Linden, P.J.; Hanson, C.E., editors. Climate change 2007: impacts, adaptation and vulnerability. Contribution of Working Group II to the fourth assessment report of the Intergovernmental Panel on Climate Change. Cambridge, UK: Cambridge University Press: 23-78. http://www.ipcc.ch/pdf/assessment-report/ar4/wg2/ar4-wg2-ts.pdf

Perera, A.H.; Buse, L.J.; Weber, M.G., editors. 2004. Emulating natural forest landscape disturbances: concepts and applications. New York: Columbia University Press. 315 p. ISBN:0-231-12916-5

Perez-Garcia, J.; Lippke, B.; Comnick, J.; Manriquez, C. 2005. An assessment of carbon pools, storage, and wood products market substitution using life-cycle analysis results. Wood and Fiber Science. 37(Special Issue): 140-148. http://swst.metapress.com/content/v361873872vk17w3

Pitman, G.B.; Perry, D.A.; Emmingham, W.H. 1982. Thinning to prevent mountain pine beetles in lodgepole and ponderosa pine. Exten. Circ. 1106. Corvallis, OR: Oregon State University, Extension Service. 4 p.

Pollet, J.; Omi, P.N. 2002. Effect of thinning and prescribed burning on crown fire severity in ponderosa pine forests. International Journal of Wildland Fire. 11(1): 1-10. doi:10.1071/WF01045

Powell, D.C. 1998. Upland forest and competing vegetation analyses; South Tower fire recovery assessment. Pendleton, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Region, Umatilla National Forest, Supervisor's Office. 68 p.

Powell, D.C. 1999. Suggested stocking levels for forest stands in northeastern Oregon and southeastern Washington: an implementation guide for the Umatilla National Forest. Tech. Pub. F14-SO-TP-03-99. Pendleton, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Region, Umatilla National Forest. 300 p. http://www.fs.fed.us/r6/uma/nr/silv/stockingpub1.pdf

Powell, D.C. 2000. Potential vegetation, disturbance, plant succession, and other aspects of forest ecology. Tech. Pub. F14-SO-TP-09-00. Pendleton, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Region, Umatilla National Forest. 88 p. http://www.fs.fed.us/r6/uma/nr/silv/Forest%20ecology%20pub.pdf

Powell, D.C. 2003 (October 22). Fuel treatment objectives for dry-forest sites; file designation 2470-2 memorandum to Forest Supervisor and District Ranger, North Fork John Day Ranger District. Pendleton, OR: U.S. Department of Agriculture, Forest Service, Umatilla National Forest, Supervisor's Office. 4 p.

Powell, D.C. 2008. Using General Land Office survey notes to characterize historical vegetation conditions for the Umatilla National Forest. Unpub. Rep. Pendleton, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Region, Umatilla National Forest. 50 p. http://www.fs.fed.us/r6/uma/publications/history/glo/GLO%20Description.pdf

Powell, D.C. 2009a. Review of best available science for forest vegetation: South George Vegetation Management Project. Unpub. Rep. Pendleton, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Region, Umatilla National Forest. 109 p.

Powell, D.C. 2009b. Silviculture facts. Unpub. Rep. Pendleton, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Region, Umatilla National Forest. 7 p. http://www.fs.fed.us/r6/uma/nr/silv/SilvicultureFacts.pdf

Powell, D.C. 2009c. Tree density protocol for mid-scale assessments. Unpub. Rep. Pendleton, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Region, Umatilla National Forest. 45 p.

Powell, D.C. 2010. Estimating crown fire susceptibility for project planning. Fire Management Today. 70(3): 8-15. http://www.fs.fed.us/fire/fmt/fmt_pdfs/FMT70-3.pdf

Powell, D.C. 2011. Active management of dry forests in the Blue Mountains: silvicultural considerations. White Paper F14-SO-WP-Silv-04. Pendleton, OR: USDA Forest Service, Pacific Northwest Region, Umatilla National Forest. 124 p.

Powell, D.C.; Johnson, C.G., Jr.; Crowe, E.A.; Wells, A.; Swanson, D.K. 2007. Potential vegetation hierarchy for the Blue Mountains section of northeastern Oregon, southeastern Washington, and west-central Idaho. Gen. Tech. Rep. PNW-GTR-709. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 87 p. http://www.treesearch.fs.fed.us/pubs/27598

Preisler, H.K.; Mitchell, R.G. 1993. Colonization patterns of the mountain pine beetle in thinned and unthinned lodgepole pine stands. Forest Science. 39(3): 528-545. http://www.ingentaconnect.com/content/saf/fs/1993/00000039/00000003/art00010

Price, C.; Rind, D. 1994. Possible implications of global climate change on global lightning distributions and frequencies. Journal of Geophysical Research. 99(D5): 10823-10831. http://www.agu.org/journals/ABS/1994/94JD00019.shtml

Rehfeldt, G.E. 1995. Genetic variation, climate models and the ecological genetics of *Larix occidentalis*. Forest Ecology and Management. 78(1-3): 21-37. doi:10.1016/0378-1127(95)03602-4

Rehfeldt, G.E.; Crookston, N.L.; Warwell, M.V.; Evans, J.S. 2006. Empirical analyses of plant-climate relationships for the western United States. International Journal of Plant Sciences. 167(6): 1123-1150. doi:10.1086/507711

Reyer, C.; Guericke, M.; Ibisch, P. 2009. Climate change mitigation via afforestation, reforestation and deforestation avoidance: and what about adaptation to environmental change? New Forests. 38(1): 15-34. doi:10.1007/s11056-008-9129-0

Rhemtulla, J.M.; Mladenoff, D.J.; Clayton, M.K. 2009. Historical forest baselines reveal potential for continued carbon sequestration. Proceedings of the National Academy of Sciences. 106(15): 6082-6087. doi:10.1073/pnas.0810076106

Riggs, R.A.; Tiedemann, A.R.; Cook, J.C.; Ballard, T.M.; Edgerton, P.J.; Vavra, M.; Krueger, W.C.; Hall, F.C.; Bryant, L.D.; Irwin, L.L.; Delcurto, T. 2000. Modification of mixed-conifer forests by ruminant herbivores in the Blue Mountains ecological province. Res. Pap. PNW-RP-527. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 77 p. http://www.treesearch.fs.fed.us/pubs/2941

Running, S.W. 2006. Is global warming causing more, larger wildfires? Science. 313(5789): 927-928. doi:10.1126/science.1130370

Running, S.W. 2008. Ecosystem disturbance, carbon, and climate. Science. 321(5889): 652-653. doi:10.1126/science.1159607

Safranyik, L.; Nevill, R.; Morrison, D. 1998. Effects of stand density management on forest insects and diseases. Tech. Tran. Note No. 12. Victoria, BC: Natural Resources Canada, Canadian Forest Service, Pacific Forestry Center. 4 p. http://bookstore.cfs.nrcan.gc.ca/detail_e.php?recid=35719

Salinger, M.; Sivakumar, M.; Motha, R. 2005. Reducing vulnerability of agriculture and forestry to climate variability and change: workshop summary and recommendations. Climatic Change. 70(1): 341-362. doi:10.1007/s10584-005-5954-8

Sartwell, C. 1971. Thinning ponderosa pine to prevent outbreaks of mountain pine beetle. In: Baumgartner, D.M., ed. Precommercial thinning of coastal and intermountain forests in the Pacific Northwest. Pullman, WA: Washington State University, College of Agriculture, Cooperative Extension Service: 41-52.

Sartwell, C.; Dolph, R.E., Jr. 1976. Silvicultural and direct control of mountain pine beetle in second-growth ponderosa pine. Res. Note PNW-268. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station. 8 p.

Sartwell, C.; Stevens, R.E. 1975. Mountain pine beetle in ponderosa pine: prospects for silvicultural control in second-growth stands. Journal of Forestry. 73(3): 136-140. http://www.ingentaconnect.com/content/saf/jof/1975/00000073/00000003/art00007

Schmid, J.M.; Mata, S.A. 1992. Stand density and mountain pine beetle-caused tree mortality in ponderosa pine stands. Res. Note RM-515. [Fort Collins, CO]: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station. 4 p.

Schmid, J.M.; Mata, S.A. 2005. Mountain pine beetle-caused tree mortality in partially cut plots surrounded by unmanaged stands. Res. Pap. RMRS-RP-54. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Experiment Station. 11 p. http://www.treesearch.fs.fed.us/pubs/20626

Schmidt, K.M.; Menakis, J.P.; Hardy, C.C.; Hann, W.J.; Bunnell, D.L. 2002. Development of coarse-scale spatial data for wildland fire and fuel management. Gen. Tech. Rep. RMRS-GTR-87. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. 41 p (and CD). http://www.treesearch.fs.fed.us/pubs/4590

Schmitt, C.L.; Powell, D.C. 2005. Rating forest stands for insect and disease susceptibility: a simplified approach (version 2.0). Pub. BMPMSC-05-01. La Grande, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Region, Umatilla and Wallowa-Whitman National Forests, Blue Mountains Pest Management Service Center. 20 p. http://www.fs.fed.us/r6/uma/publications/SusceptibilityRatingV.2.pdf

Schmitt, C.L.; Powell, D.C. 2008. Historical range of variability estimates for insect and disease susceptibility. Unpub. Rep. [Pendleton, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Region, Umatilla National Forest.] 10 p.

Schmitt, C.L.; Spiegel, L.H. 2005 (April 7). Technical assistance: South Creek project, Pomeroy RD, Umatilla NF; file designation 3420 memorandum to District Ranger, Pomeroy, Umatilla NF. La Grande, OR: U.S. Department of Agriculture, Forest Service, Blue Mountains Pest Management Service Center, Wallowa-Whitman National Forest. 5 p.

Schmitz, R.F.; McGregor, M.D.; Amman, G.D.; Oakes, R.D. 1989. Effect of partial cutting treatments of lodgepole pine stands on the abundance and behavior of flying mountain pine beetles. Canadian Journal of Forest Research. 19(5): 566-574. doi:10.1139/x89-089

Scott, J. 1998. Reduce fire hazards in ponderosa pine by thinning. Fire Management Notes. 58(1): 20-25. http://www.fs.fed.us/fire/fmt/fmt_pdfs/fmn58-1.pdf

Shafer, S.L.; Bartlein, P.J.; Thompson, R.S. 2001. Potential changes in the distributions of western North America tree and shrub taxa under future climate scenarios. Ecosystems. 4(3): 200-215. doi:10.1007/s10021-001-0004-5

Shrimpton, D.M. 1978. Resistance of lodgepole pine to mountain pine beetle infestation. In: Berryman, A.A.; Amman, G.D.; Stark, R.W., tech. eds. Theory and practice of mountain pine beetle management in lodgepole pine forest. Moscow, ID: University of Idaho, Forest, Wildlife and Range Experiment Station: 64-76.

Simonin, K.A. 2000. Vaccinium membranaceum. In: Fire Effects Information System (on-line). U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory (producer). http://www.fs.fed.us/database/feis/plants/shrub/vacmem/introductory.html

Smith, J.E.; Heath, L.S.; Skog, K.E.; Birdsey, R.A. 2006. Methods for calculating forest ecosystem and harvested carbon with standard estimates for forest types of the United States. Gen. Tech. Rep. NE-343. Newtown Square, PA: U.S. Department of Agriculture, Forest Service, Northeastern Research Station. 216 p. http://www.treesearch.fs.fed.us/pubs/22954

Smith, T.F.; Rizzo, D.M.; North, M. 2005. Patterns of mortality in an old-growth mixed-conifer forest of the southern Sierra Nevada, California. Forest Science. 51(3): 266-275. http://www.treesearch.fs.fed.us/pubs/24976

Sohngen, B.L.; Haynes, R.W. 1997. The potential for increasing carbon storage in United States unreserved timberlands by reducing forest fire frequency: an economic and ecological analysis. Climate Change. 35(2): 179-197. doi:10.1023/A:1005311308790

Spada, B.; Berger, J.; Schimmel, R. 1957. Forest type map of southeast Washington (portions of Walla Walla, Columbia, Garfield, and Asotin Counties, Umatilla National Forest). Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station, Forest Survey – Ponderosa Pine Subregion. 1:63,360; 1927 North American projection; thematic map.

Spracklen, D.V.; Logan, J.A.; Mickley, L.J.; Park, R.J.; Yevich, R.; Westerling, A.L.; Jaffe, D.A. 2007. Wildfires drive interannual variability of organic carbon aerosol in the western U.S. in summer. Geophysical Research Letters. 34: L16816. doi:10.1029/2007GL030037

Stephens, S.L. 1998. Evaluation of the effects of silvicultural and fuels treatments on potential fire behaviour in Sierra Nevada mixed-conifer forests. Forest Ecology and Management. 105(1-3): 21-35. doi:10.1016/S0378-1127(97)00293-4

Swanson, F.J.; Jones, J.A.; Wallin, D.O.; Cissel, J.H. 1994. Natural variability – implications for ecosystem management. In: Jensen, M.E.; Bourgeron, P.S., eds. Volume II: Ecosystem management: principles and applications. Gen. Tech. Rep. PNW-GTR-318. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station: 80-94. http://www.treesearch.fs.fed.us/pubs/6223

Thomas, C.D.; Cameron, A.; Green, R.E.; Bakkenes, M.; Beaumont, L.J.; Collingham, Y.C.; Erasmus, B.F.N.; de Siqueira, M.F.; Grainger, A.; Hannah, L.; Hughes, L.; Huntley, B.; van Jaarsveld, A.S.; Midgley, G.F.; Miles, L.; Ortega-Huerta, M.A.; Townsend Peterson, A.; Phillips, O.L.; Williams, S.E. 2004. Extinction risk from climate change. Nature. 427(6970): 145-148. doi:10.1038/nature02121

Turner, J.S.; Krannitz, P.G. 2001. Conifer density increases in semi-desert habitats of British Columbia in the absence of fire. Northwest Science. 75(2): 176-182. http://www.vetmed.wsu.edu/org_NWS/NWSci%20journal%20articles/2001%20files/Issue%202/v75%20p176%20Turner%20and%20Krannitz.PDF

USDA Forest Service. 1990. Land and resource management plan: Umatilla National Forest. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Region. Irregular pagination. http://www.fs.fed.us/r6/uma/projects/90-forestplan-cover.pdf

USDA Forest Service. 1994. Continuation of interim management direction establishing riparian, ecosystem and wildlife standards for timber sales; Regional Forester's Forest Plan Amendment #1. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Region.

USDA Forest Service. 1995. Revised interim direction establishing riparian, ecosystem and wildlife standards for timber sales; Regional Forester's Forest Plan Amendment #2. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Region. 14 p.

USDA Forest Service. 2002. Malheur, Umatilla and Wallowa-Whitman national forests; vegetation polygon mapping and classification standards. Unpub. Rep. (9/20/2002 revision). 10 p.

USDA Forest Service. 2004. FSM 2400 – timber management; chapter 2470 – silvicultural practices. Amendment no. 2400-2004-6 (August 13, 2004). Washington, DC: U.S. Department of Agriculture, Forest Service, National Headquarters (WO). 51 p. https://fs.usda.gov/FSI_Directives/2470.doc

USDA Forest Service. 2008. Forest Service strategic framework for responding to climate change; version 1.0. Washington, DC: U.S. Department of Agriculture, Forest Service, Washington Office. 21 p. http://www.fs.fed.us/climatechange/documents/strategic-framework-climate-change-1-0.pdf

USDA Forest Service; USDI Bureau of Land Management. 1994. Environmental assessment for the implementation of interim strategies for managing anadromous fish-producing watersheds in eastern Oregon and Washington, Idaho, and portions of California (PACFISH). Washington, DC. 68 p [plus 5 appendices, a biological evaluation, and a proposed finding of no significant impact].

van Mantgem, P.J.; Stephenson, N.L.; Byrne, J.C.; Daniels, L.D.; Franklin, J.F.; Fulé, P.Z.; Harmon, M.E.; Larson, A.J.; Smith, J.M.; Taylor, A.H.; Veblen, T.T. 2009. Widespread increase of tree mortality rates in the western United States. Science. 323(5913): 521-524. doi:10.1126/science.1165000

Waring, R.H.; Pitman, G.B. 1985. Modifying lodgepole pine stands to change susceptibility to mountain pine beetle attack. Ecology. 66(3): 889-897. doi:10.2307/1940551

Waring, R.H.; Running, S.W. 1998. Forest ecosystems: analysis at multiple scales. Second edition. San Diego, CA: Academic Press. 370 p. ISBN:0-12-735443-3

West, J.; Julius, S.; Kareiva, P.; Enquist, C.; Lawler, J.; Petersen, B.; Johnson, A.; Shaw, M. 2009. U.S. natural resources and climate change: concepts and approaches for management adaptation. Environmental Management. 44(6): 1001-1021. doi:10.1007/s00267-009-9345-1

Westerling, A.L.; Hidalgo, H.G.; Cayan, D.R.; Swetnam, T.W. 2006. Warming and earlier spring increase western U.S. forest wildfire activity. Science. 313(5789): 940-943. doi:10.1126/science.1128834

Whitehead, R.J.; Russo, G.L. 2005. "Beetle-proofed" lodgepole pine stands in interior British Columbia have less damage from mountain pine beetle. Infor. Rep. BC-X-402. Victoria, BC: Natural Resources Canada, Canadian Forest Service, Pacific Forestry Centre. 17 p. http://bookstore.cfs.nrcan.gc.ca/detail_e.php?recid=12584702

Wiedinmyer, C.; Neff, J.C. 2007. Estimates of CO_2 from fires in the United States: implications for carbon management. Carbon Balance and Management. 2: 1-12. doi:10.1186/1750-0680-2-10

Williams, D.W.; Liebhold, A.M. 1995. Herbivorous insects and global change: potential changes in the spatial distribution of forest defoliator outbreaks. Journal of Biogeography. 22(4/5): 665-671. http://www.jstor.org/stable/2845968

Winnett, S.M. 1998. Potential effects of climate change on U.S. forests: a review. Climate Research. 11(1): 39-49. doi:10.3354/cr011039

Witty, J.H.; Graham, R.C.; Hubbert, K.R.; Doolittle, J.A.; Wald, J.A. 2003. Contributions of water supply from the weathered bedrock zone to forest soil quality. Geoderma. 114(3-4): 389-400. doi:10.1016/S0016-7061(03)00051-X

Woodbury, P.B.; Smith, J.E.; Heath, L.S. 2007. Carbon sequestration in the U.S. forest sector from 1990 to 2010. Forest Ecology and Management. 241(1-3): 14-27. doi:10.1016/j.foreco.2006.12.008

Woodhouse, C.A.; Overpeck, J.T. 1998. 2000 years of drought variability in the central United States. Bulletin of the American Meteorological Society. 79(12): 2693-2714. doi:10.1175/1520-0477(1998)079<2693:YODVIT>2.0.CO;2

INVASIVE PLANTS

A Guide to Weeds in British Columbia. Weeds B.C. http://www.weedsbc.ca/weed_desc/com_tansy.html (Accessed July 2008).

R6 FEIS: Pacific Northwest Region Invasive Plant Program Final Environmental Impact Statement, 2005. Publication R6-NR-FHP-PR-02-05,USDA Forest Service, Pacific Northwest Region, Portland, Oregon.

ROD. 2005. Pacific Northwest Region Invasive Plant Program Final Environmental Impact Statement, Record of Decision. U.S. Department of Agriculture, Forest Service, Portland, OR.

Targeted Invasive Plant Solutions, Invasive plant council of British Columbia. http://www.invasiveplantcouncilbc.ca/publications/TIPS/ (Accessed July 2008)

Umatilla National Forest Environmental Assessment for the Management of Noxious Weeds. 1995. U.S. Department of Agriculture, Forest Service. Pendleton, Oregon.

U.S. Department of Agriculture, Forest Service. 1990. Land and resource management plan: Umatilla National Forest. U.S. Department of Agriculture, Forest Service, Pacific Northwest Region. Portland, OR.

Wood, J. 2006. Unpublished Botanical Specialist Report, Invasive Plant Species. School Fire Salvage Recovery Project. USDA Forest Service, Umatilla National Forest, Pomeroy Ranger District. 26 p.

FUELS

Agee, J. K. 1993. Fire ecology of Pacific Northwest forests. Washington, D.C. Island Press. 493p.

Agee, J. K. 1994. Fire and weather disturbances in terrestrial ecosystems of the eastern Cascades. General Technical Report PNW-GTR-320. Portland, OR. USDA Forest Service, Pacific Northwest Research Station. 52p.

Agee, J. K. 1998. The landscape ecology of western forest fire regimes. Northwest Science. 72 (Special Issue): 24-34.

Agee, J. K., Skinner, C. N. 2005. Basic principles of forest fuel reduction treatments. Forest Ecology and Management. 211: 83-96.

Agee, J. K. 2004. The complex nature of mixed severity fire regimes. Mixed Severity Fire Regimes: Ecology and Management. The Association for Fire Ecology. MISC103: 1-10.

Albini, F. 1976. Estimating wildfire behavior and effects. General Technical Report INT-GTR-30. Ogden, UT: USDA Forest Service, Intermountain Forest and Range Experiment Station. 92p.

Anderson, H. E. 1982. Aids to determining fuel models for estimating fire behavior. General Technical Report INT-GTR-122. Ogden, UT: USDA Forest Service, Intermountain Forest and Range Experiment Station. 22p.

Brown, J. K. 1995. Fire regimes and their relevance to ecosystem management. Pages 171-178 *In* Proceedings of Society of American Foresters national convention, Sept. 18-22, 1994, Anchorage, AK. Society of American Foresters, Wash. DC.

Countryman, Bruce. 2007. Unpublished Report. Umatilla National Forest fire regime condition class lookup table. Baker City, OR: USDA Forest Service, Wallowa-Whitman Supervisors Office.

Evers, L. 2002. Unpublished Report. Fire regimes of Oregon and Washington. Portland, OR: Bureau of Land Management, Oregon State Office

Graham, R. T., McCaffrey, S., & Jain, T. B. Technical Editors. 2004. Science basis for changing forest structure to modify wildfire behavior and severity. General Technical Report RMRS-GTR-120. Fort Collins, CO: USDA Forest Service, Rocky Mountain Research Station. 43p.

Hann, W. J., & Bunnel, L. 2001. Fire and land management planning and implementation across multiple scales. International Journal of Wildland Fire. 10: 389-401

Hann, W. J. & Strohm, D. J. 2003. Fire regime condition class and associated data for fire and fuels planning: methods and applications. Proceeding RMRS-P-29. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Center. 397-434.

Hessburg, P. F., Agee, J. K. & Franklin, J. F. 2005. Dry forests and wildland fires of the inland Northwest USA: Contrasting the landscape ecology of the pre-settlement and modern eras. Forest Ecology and Management. 211: 117-139.

Heyerdahl, E. K. 1997. Spatial and temporal variation in historical fire regimes of the Blue Mountains, Oregon and Washington: the influence of climate. Doctoral dissertation. Seattle, WA: University of Washington, College of Forest Resources. 224p.

Huff, M. H., Ottmar, R. D., Alvarado, E., Vihnanek, R. E., Lehmkuhl, J. F., Hessburg, P. F. & Everett, R. L. 1995. Historical and current forest landscapes in eastern Oregon and Washington. Part II: Linking vegetation characteristics to potential fire behavior and related smoke production. General Technical Report PNW-GTR-355. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 43p.

Keyes, C. R. & O'Hara, K. L. 2002. Quantifying stand targets for silvicultural prevention of crown fires. Western Journal of Applied Forestry. 17(2): 101-109.

King, T. R. & Bloch, V. Lead Authors. 2008. Asotin County, Washington, Community Wildfire Protection. Northwest Management, Inc., Moscow, Idaho. July 9, 2008. 136p.

King, T. R. & Bloch, V. Lead Authors. 2008. Asotin County, Washington, Community Wildfire Protection Plan Appendices. Northwest Management, Inc., Moscow, Idaho. July 9, 2008. 43p.

Mason, C. L., Ceder, K., Rogers, H., Bloxton, T., Comnick, J., Lippke, B., McCarter, J., & Zobrist, K. 2003. Investigation of alternative strategies for design, layout and administration of fuel removal projects. Unnumbered Report. Seattle, WA: University of Washington, College of Forest Resources, Rural Technology Initiative. 78p.

Perera, A. H., Buse, L. J., & Weber, M. G., editors. 2004. Emulating natural forest landscape disturbances: concepts and applications. New York: Columbia University Press. 315.p.

Powell, D. C. 2004. Fire regime condition class queries. Unpublished report. Pendleton, OR: Unites States Department of Agriculture, Forest Service, Pacific Northwest Region, Umatilla National forest. 8p.

Powell, D. C. Silviculture Specialist Report; Forest Vegetation: South George Vegetation Management Project. Pomeroy, WA: U.S. Department of Agriculture, Forest Service, Umatilla National Forest, Pomeroy Ranger District.

Powell, D.C. 2005. Fire regimes of the Blue Mountains. Unpublished Report. Pendleton, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Region, Umatilla National Forest. 3 p.

Rothermel, R. C. 1991. Predicting behavior and size of crown fires in the Northern Rocky Mountains. Research Paper INT-438. Odgen, UT: U.S. Department of Agriculture, Forest Service, Intermountain Research Station. 46 p.

Schmidt, K. M., Menakis, J. P., Hardy C. C., Hann, W. J., & Bunnell, D. L. 2002. Development of coarse scale spatial data for wildland fire and fuel management. General Technical Report RMRS-GTR-87. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. 41p.

Scott, J. H. and Burgan, R. E. 2005. Standard Fire Behavior Fuel Models: A Comprehensive Set for Use with Rothermel's Surface Fire Spread Model. General Technical Report RMRS-GTR-153. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. 72p.

Thompson, J. R., Duncan, S. L., & Norman, K. N. 2009. Is there potential for the historical range of variability to guide conservation given the social range of variability. Ecology and Society 14(1): 18. [online] URL: http://www.ecologyandsociety.org/vol14/iss1/art18/.

Van Wagner, C. C. 1977. Conditions for the start and spread of crown fire. Canadian Journal of Forest Research. 7(1): 23-24.

Youngblood, A. 2008. Changes in fuelbed characteristics and resulting fire potentials after fuel reduction treatments in dry forests of the Blue Mountains, northeastern Oregon. Forest Ecology and Management. 255: 3151-3169.

AIR QUALITY

Achtemeier, Gary L., Jackson, Bill, and Brenner, James D. 2001. Problem and Nuisance Smoke. *Smoke Management Guide For Prescribed and Wildland Fire*. (pp 41-50).

Core, John E. and Janice L. Peterson. 2001. Public Health and Exposure to Smoke. Smoke Management Guide For Prescribed and Wildland Fire. (pp 35-39).

Ottmar, Roger D., et al. 2001. Smoke Management: Techniques to Reduce or Redistribute Emissions. *Smoke Management Guide For Prescribed and Wildland Fire*. (pp. 41-162).

Ottmar, Roger D., and Timothy R. Reinhardt. Smoke Exposrue Amoung Fireline Personnel. *Smoke Management Guide For Prescribed and Wildland Fire*. (pp 51-58).

Ottmar, Roger D. 2001. Smoke Source Characteristics. *Smoke Management Guide For Prescribed and Wildland Fire*. (pp. 89-105).

Peterson, Janice L. 2001. Regulations for Smoke Management. *Smoke Management Guide For Prescribed and Wildland Fire*. (pp. 61-74).

USDA Forest Service. 1990. Umatilla National Forest. *Forest Land and Resource Management Plan.*

Washington State Department of Ecology. 2009. *Washington State Department of Ecology.* July 2009 <http://www.ecy.wa.gov/programs/air/airhome.html>

WILDLIFE

Agee, J.K. 2002. Fire as a coarse filter for snags and logs. Gen. Tech. Report PSW-GTR-181. Pacific Southwest Research Station, U.S. Forest Service. 9p.

Altman, B. 2000. Conservation strategy for land birds in the northern Rocky Mountains of eastern Oregon and Washington. Oregon-Washington Partners in Flight. 86pp

Armstrong, F.H. 1957. Notes on *Sorex preblei* in Washington state. The Murrelet 38(1), page 6.

Bagne, K.E., K.L. Purcell, and J.T. Rotenberry. 2008. Prescribed fire, snag population dynamics, and avian nest site selection. Forest Ecology and Management 255:99-105.

Brown, B. 2003. Current Vegetative Survey: Forest inventory and monitoring. U.S. Forest Service, Pacific Northwest Region and Pacific Northwest Research Station; Portland, Oregon. http://www.fs.fed.us/r6/survey

Bull, E.L. and R.S. Holthausen. 1993. Habitat use and management of pileated woodpeckers in northeastern Oregon. Journal of Wildlife Management 57:335-345.

Bull, E. L., C.G. Parks, and T. R. Torgerson, 1997. Trees and logs important to wildlife in the interior Columbia River basin. Gen. Tech. Rep. PNW-GTR-391. Portland, Oregon: U.S. Forest Service, Pacific Northwest Research Station. 55 p.

Bull, E.L., N.Nielsen-Pincus, B.C.Wales, and J.L. Hayes. 2007. The influence of disturbance events on pileated woodpeckers in Northeastern Oregon. Forest Ecology and Management 243: 320-329.

Cook, J.G, L.L. Irwins, L.D. Bryant, R.A. Riggs, and J.W. Thomas. 1998. Relations of forest cover and condition of elk: a test of the thermal cover hypothesis in summer and winter. Wildlife Monograph No. 141. Journal of Wildlife Management Vol 62, No. 4.

Crawford, J.A. 2000. Historic distribution of mountain quail in the Pacific Northwest. Pages 194–197 in L.A. Brennan, W.E. Palmer, L.W. Burger, Jr., and T.L. Pruden, editors, Quail IV: Proceedings of the Fourth National Quail Symposium. Tall Timbers Research Station, Tallahassee, FL.

Goggans, R., R.D. Dixon, and L.C. Seminara. 1989. Habitat use by three-toed and black-backed woodpeckers, Deschutes National Forest, Oregon. Non-game Wildlife Program Technical Report 87-3-02. Oregon Department of Fish and Wildlife. Portland.

Gruver, J.C. and D.A. Keinath. 2006. Townsend's big-eared bat (Corynorhinus townsendii): a technical conservation assessment. USDA Forest Service, Rocky Mountain Region. Unpublished report available online at http://www.fs.fed.us/r2/projects/scp/assessments/townsendsbigearedbat.pdf

Harrod, R.J., W.L. Gaines, W.E. Hartl, and A. Camp. 1998. Estimating historical snag density in dry forests east of the Cascade Range. Gen. Tech. Rep. PNW-GTR-428. Portland, OR: U.S. Forest Service, Pacific Northwest Research Station. 16p.

Hitchcock, M. and A. Ager. 1992. Microcomputer software for calculating and elk habitat effectiveness index on Blue Mountain winter range. Gen. Tech. Rep. PNW-GTR-301. Portland, OR: U.S. Forest Service, Pacific Northwest Research Station. 13 p.

Mellen, K., B.G. Marcot, J.L. Ohmann, K. Waddell, S.A. Livingston, E.A. Willhite, B.B. Hostetler, C. Ogden, and T. Dreisbach. 2006. DecAID, the decayed wood advisor for managing snags, partially dead trees, and down wood for biodiversity in forests of Washington and Oregon. Version 2.10. U.S. Forest Service, Pacific Northwest Region and Pacific Northwest Research Station; U.S. Fish and Wildlife Service, Oregon State Office; Portland, Oregon. http://wwwnotes.fs.fed.us:81/pnw/DecAID/DecAID.nsf

Nielsen-Pincus, N and E.O. Garton. 2007. Responses of cavity-nesting birds to changes in available habitat reveal underlying determinants of nest selection.

Ohmann, J.L. and K.L. Waddell. 2002. Regional patterns of dead wood in forested habitat of Oregon and Washington. Gen. Tech. Rep. PSW-GTR-181, U.S. Forest Service. 560p

Perkins, J.M. and T. Schommer. 1992. Survey protocol and an interim species conservation strategy for *Plecotus townsendii* in the Blue Mountains of Oregon and Washinton. 23 p. Unpublished Report for the Interior Columbia Basin Ecosystem Management Project, Boise, Idaho.

Rich, T. D., C. J. Beardmore, H. Berlanga, P. J. Blancher, M. S. W. Bradstreet, G. S. Butcher, D. W. Demarest, E. H. Dunn, W. C. Hunter, E. E. Iñigo-Elias, J. A. Kennedy, A. M. Martell, A. O. Panjabi, D. N. Pashley, K. V. Rosenberg, C. M. Rustay, J. S. Wendt, T. C. Will. 2004. Partners in Flight North American Landbird Conservation Plan. Cornell Lab of Ornithology. Ithaca, NY. Partners in Flight website. www.partnersinflight.org/cont_plan.

Rose, C.L., B.G. Marcot, T.K. Mellen. 2001. Decaying wood in Pacific Northwest forests: concepts and tools for habitat management. Pages 580-623 in: J. Greenlee, editor. Proceedings of the symposium of fire effects on threatened species and habitats. International Association of Wildland Fire, Fairfield, Washington.

Rowland, M.M., M.J. Wisdom, B.K. Johnson, and J.G. Kie. 2000. Elk distribution and modeling in relation to roads. Journal of Wildlife Management 64(3): 672-684.

Ruediger, Bill, J. Claar, S. Mighton, B. Naney, T. Rinaldi, F. Wahl, N. Warren, D. Wenger, A. Williamson, L. Lewis, B. Holt, G. Patton, J. Trick, A. Vandehey, and S.Gniadek. 2000. Canada Lynx Conservation Assessment and Strategy. U.S. Forest Service. January 103p

Ruggiero, L.F., K.B. Aubry, S.W. Buskirk, L.J. Lyon, and W.J. Zielinski. 1994. The scientific basis for conserving forest carnivores: American marten, fisher, lynx, and wolverine in the western United States. Gen. Tech. Rep. RM-254. Ft. Collins, CO: U.S. Forest Service, Rocky Mountain Forest and Range Experiment Station. 184 pp.

Ruggiero, L.F., K.B. Aubry, S.W. Buskirk, G.M. Koehler, C.J. Krebs, K.S. McKelvey, and J.R. Squires. 1999. Ecology and Conservation of Lynx in the United States. Univ. Press of Colorado. Bolder, CO and U.S. Forest Service, Rocky Mountain Research Station. General Technical Report, RMRS-GTR-30WWW. 480p

Saab, V. A., T. D. Rich. 1997. 1998. Large-scale conservation assessment for Neotropical migratory land birds in the interior Columbia basin: Gen. Tech. Rep. PNW-GTR-399. Portland, OR: U.S. Forest Service, Pacific Northwest Research Station. 57 p.

Sallabanks, R, B.G. Marcot, R.A. Riggs, C.A.Mehl, and E.B. Arnett. 2001. Wildlife of eastside (interior) forests and woodlands. Chapter 8 (pages 213-238) In: Wildlife-Habitat Relationships in Oregon and Washington. Oregon State University Press. Johnson, D.H.; O'Neil, T.A., Managing Directors.

Thomas, J.W. 1979. Wildlife habitats in managed forests: the Blue Mountains of Oregon and Washington. U.S. Forest Service. Agriculture Handbook No. 553. 512pp.

Thomas, J. W, D.A. Leckenby, M.A. Henjum, R.J. Pedersen, and L.D. Bryant. 1988. Habitat effectiveness index for elk on Blue Mountain Winter Ranges. Gen. Tech. Rep. PNW-GTR-218. Portland, OR: U.S. Forest Service, Pacific Northwest Research Station. 28p.

U.S. Forest Service (USFS). 1990. Land and Resource Management Plan, Umatilla National Forest ("Forest Plan"). Pendleton, OR: U.S. Forest Service, Pacific Northwest Region, Umatilla National Forest. Sept.

U.S. Forest Service (USFS). 1995. Interim Management Direction Establishing Riparian, Ecosystem and Wildlife Standards for Timber Sales, (``Eastside Screens"), Regional Forester's Forest Plan Amendment #2 . Appendix B Revised Interim Direction. U.S. Department of Agriculture, Forest Service. Pacific Northwest Region (6), Portland, Oregon. June. 14p.

U.S. Forest Service (USFS). 2006. Occupied mapped lynx habitat; amendment to the Canada lynx conservation agreement. Letter to Regional Foresters dated May 26, 2006. U.S. Forest Service, Washington D.C. 6p.

U.S. Forest Service (USFS). 2008. Regional Forester's Sensitive Animal List. 2670/1950 Memo (to Forest Supervisors). U.S. Forest Service, Pacific Northwest Region. Portland, OR.

U.S. Fish and Wildlife Service (USFWS). 1999. Endangered and Threatened Wildlife and Plants. 50 CFR Part 17. Federal Register Vol. 62, No. 182 pages 49398 to 49411. U.S. Fish and Wildlife Service. Washington D.C. December 31.

U.S. Fish and Wildlife Service (USFWS). 2003. Notice of remanded determination of status for the contiguous United States distinct population segment of the Canada lynx; clarification of findings; final rule. Federal Register Vol. 68, No. 128, pages 40076-40101.

U.S. Fish and Wildlife Service (USFWS). 2003b. 90-day finding for a petition to list the mountain quail as threatened or endangered. Federal Register 68(14):3000-3005.

U.S. Fish and Wildlife Service (USFWS). 2009. Final Rule to identify the Northern Rocky Mountain Population of Gray Wolf as a Distinct Population Segment and to revise the list of Endangered and Threatened Wildlife. Federal Register Vol. 74, No. 62, pages 15123-15188.

Vogel, C.A., and K.P. Reese. 1995. Mountain quail status report: a document preliminary to a habitat conservation assessment for mountain quail. 33p. Unpublished Report for the Interior Columbia Basin Ecosystem Management Project, Boise, Idaho.

Washington Department of Fish and Wildlife (WDFW). 2006. Blue Mountain Wildlife Area Management Plan. Wildlife Management Program, Washington Department of Fish and Wildlife, Olympia. 176 pp.

Washington Department of Fish and Wildlife (WDFW). 2008. Draft wolf conservation and management plan for Washington. Olympia, Washington. 208p.

Weber, K.T., C.L. Marcum, M.G. Burcham, and L.J. Lyon. 2000. Landscape influence on elk vulnerability to hunting. Intermountain Journal of Sciences 6(2): 86-94.

Wiggins, D. 2004. American three-toed woodpecker (*Picoides dorsalis*): a technical conservation assessment. USDA Forest Service, Rocky Mountain Region. 40 p. Available online at http://www.fs.fed.us/r2/projects/scp/assessments/americanthreetoedwoodpecker.pdf

Wisdom, M. J.; R.S. Holthausen, B.C. Wales, C.D. Hargis, V.A. Saab, D.C. Lee, W.J. Wendel, T.D. Rich, M.M. Rowland, W.J. Murphy, M.R. Eames. 2000. Source habitat for terrestrial vertebrates of focus in the interior Columbia basin: broad scale trends and management implications. Volume 1-3. Gen. Tech. Rep. PNW-GTR-485. Portland, OR. U.S. Forest Service, Pacific Northwest Research Station. (Quigley, T.M., tech. ed.; Interior Columbia Basin Ecosystem Management Project: scientific assessment).

Wisdom, M.J., B.K. Johnson, M. Vavra, J.M. Boyd, P.K. Coe, J.G. Kie, A.A. Ager, and N.J. Cimon. 2005. Cattle and elk responses to intensive timber harvest. Pp. 197-216 in The Starkey Project: A Synthesis of Long-term Studies of Elk and Mule Deer (M.J. Wisdom, tech. ed.). Transactions of the North American Wildlife and Natural Resources Conference, Alliance Communications Group, Lawrence, KS.

ECONOMICS

Bureau of Census, 1990 and 2000 U.S. Census
http://www.census.gov
Tel. 303-969-7750

Bureau of the Census, U.S. Department of Commerce.
County Business Patterns (CBP)
http://www.census.gov/econ/cbp/index.html
Tel 301-763-2580

Bureau of Economic Analysis, U.S. Department of Commerce. Regional Economic Information System (REIS). Accessed via Economic Profile System.
http://www.bea.gov/national/index.htm#gdp

Headwaters Economics, 2009
Economic Profile System (EPS)
http://www.headwaterseconomics.org/eps/

USDA, Forest Service, 1990, Umatilla National Forest Land and Resource Management Plan.
http://www.fs.fed.us/r6/umatilla/projects/planning/index.shtml.

Washington Regional Economic Analysis Project (WA-REAP)
http://washington.reaproject.org/

Washington State Office of Financial Management
State Data Book, 2009
http://www.ofm.wa.gov/

THREATENED, ENDANGERED AND SENSITIVE PLANT SPECIES;

Camp, Pamela and John G. Gamon, editors. 2011. Field Guide to the Rare Plants of Washington. University of Washington Press.

Matthews, Robin F. 1993. *Antennaria microphylla*. In: Fire Effects Information System, [Online]. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory (Producer). Available: http://www.fs.fed.us/database/feis/ [accessed online 2011, May 17].

USDA Forest Service. 2005. Pacific Northwest Region Invasive Plant Program. Preventing and Managing Invasive Plants. Final Environmental Impact Statement. Volume III. Appendix D. Potential Influences of Forest Service Land Management on Invasive Plant Species in Pacific Northwest Forests and Rangelands: A Review.

USDA Forest Service. 2010. Record of Decision. Umatilla National Forest Invasive Plants Treatment Project.

RECREATION

Recreation Opportunity Spectrum: A Framework for Planning, Management, and Research, General Technical Report PNW-98, 1979, p. 7.